



Incorporating
FISCO 
Technology

PRODUCT & PRICE LIST



Swedish design since 1883

Effective from
1st April 2025

SWEDISH DESIGN SINCE 1883

Just ask any tradesperson. If it's power and precision you're after, it has to be Hultafors Tools. Hand tools that really give you the best possible performance, safety and precision. Tools that can handle tough applications, last for a long time and above all feel right in your hand. The reason is actually quite simple. When we develop our products, we do it together with professionals. We understand their work situation and listen to their needs. They remain part of the product testing process until everyone is satisfied with the results. This is the only way for us to be absolutely sure that our tools actually work in practice and assist you in your work.

Our expertise on the everyday working life of tradespeople is somewhat unique. As is our long-standing experience. It all began in 1883 when Karl-Hilmer Johansson Kollén designed the now world-famous folding rule. Over the ensuing 142 years, we have continued to develop and manufacture hand tools for tradespeople.

With the acquisition of Fisco, Hultafors proudly offers world renowned measuring tapes as part of the hand tool range.

A unique product family



HULTAFORS **GROUP** offers a dynamic range of premium brands to rely on – for distributors and tradespeople alike. Each brand within the Group is united with a common passion: to keep tradespeople at the forefront in terms of functionality, safety, protection, and overall productivity.

HULTAFORS **GROUP** is proud to present fifteen leading brands that together offer a unique product family for professional tradespeople.

Each brand represents expertise in its area and brings unparalleled knowledge and insight into the unique on-the-job challenges encountered by tradespeople. This makes it possible for us to meet, even anticipate, evolving demands by designing innovative state-of-the-art products that make the tradespeople's workday safer, easier, and more productive.

Excelling in brand-driven product categories within the industry and construction equipment sectors, we offer customers and users a best-in-class experience. By using our high value products as well as benefitting from brands built around their needs, tradespeople can be at the forefront every day and take great pride in their work.

TOOL POUCHES

NEW!
FOR 2025

TECHNICIAN'S POUCH

An extra pocket for your must-have tools, this pouch can be easily added to your belt using a snap closure or slide the padded flap into your pocket and it will stay there securely. The choice is yours. It has 8 pockets and tool holders including an electrical tape strap. The large pocket is big enough to fit the most important tools for your day. Made of our durable 1680 Denier ballistic polyester. Quantity per pack: 1.

- 8 pockets and tool holders and a tape strap
- Rear flap and snap closure for easy attachment



Ref. no.	Model	Length	Width	Height	Weight	Volume	Unit Price
592020	Technician's Pouch	315mm	175mm	80mm	252g	4.410 l	19.60

MAINTENANCE POUCH

Have all your favourite tools close at hand with this smooth maintenance pouch. Keep your tools organised with 14 pockets and tool holders. This pouch has room for it all, including tape sling and a sleeve that holds a flashlight or voltage tester for easy access. It's a premium quality pouch made of durable 1680 Denier ballistic polyester fabric, that's easy to attach to your belt and stays in place throughout your day. Quantity per pack: 1.

- 14 pockets and tool holders
- Electrical tape strap
- Fits belts up to 50mm



Ref. no.	Model	Length	Width	Height	Weight	Volume	Unit Price
592030	Maintenance Pouch	280mm	200mm	105mm	274g	5.880 l	23.08

ZIP-TOP UTILITY POUCH

This medium-sized zip-top utility pouch has a main compartment that you can close with double-pull zippers to secure your tools and prevent smaller pieces from falling out. Made in durable 1680 Denier ballistic polyester fabric, it includes a tape measure clip and an electrical tape strap for easy access. When you are done for the day, you just close the zipper and detach the pouch, knowing everything is secure and will stay there. Quantity per pack: 1.

- 18 pockets and tool holders and a zippered lid
- Snap-back that keeps lid out of the way, for easy access
- Large front panel pocket, tape strap and clip for measuring tape
- Fits belts up to 50mm



Ref. no.	Model	Length	Width	Height	Weight	Volume	Unit Price
592040	Zip-Top Utility Pouch	330mm	200mm	130mm	468g	8.580 l	31.20

AWARD-WINNING TOOLS



Considered to be one of the world's most prestigious product accolades and renowned as a symbol of innovation and quality, the iF DESIGN AWARD has been recognised globally as a hallmark of quality for exceptional product design, for 70 years. Hultafors Group won the iF Design Award in 2020 for the Snap-Off Knife (SFRP 18A) and Dry Marker HDM. In 2025, The Quattro Bevel Square has now received this distinguished award.



reddot design award

Hultafors Group have received seven Red Dot awards since first entering the international design competition. The “Red Dot” has become one of the most sought-after seals of quality for good design among manufacturers and designers all over the world. According to the motto “in search of good design and innovation”, the jury evaluates the entries and only awards a Red Dot to products that win them over with their high design quality.



QUATTRO BEVEL SQUARE

An innovative adjustable square that also functions as a bevel square and an angle finder. The blade can be rotated with fixed positions for 45°, 90°, 135° (180°, 225° and 270°). A robust joint and a 25cm long blade of 1mm thick, high-strength stainless steel provides a very durable design that can withstand tough working environments and will last a long time. Carefully selected materials and manufacturing techniques such as a CNC-milled stock and a blade cut with a precision laser provide high accuracy; angle tolerance $\pm 0.06^\circ$ ($\pm 1\text{mm/m}$). The 45mm wide is perfect for working with standard stud dimensions, with a centre for easy marking. Packed in 5-packs.

Ref. no.	Model	Length	Tolerance	Unit Price
256023	QBS 25	330mm	$\pm 0.06^\circ$	59.13



SNAP-OFF KNIFE SFRP 18A

Ergonomic snap-off knife with auto lock and tail fin for tucking carpets or opening cans. Suitable for all-round use, the design with rubberised grip makes it suitable for cutting materials demanding more power such as plasterboard, insulation, aqua panel and wood. Tapered for better visibility, access and control. The knife includes a dispenser with 3 spare blades and is made of durable PC-plastic (polycarbonate) with a steel core for added stability. 1mm thick metal blade rail for additional stability. The knife features a symmetric design to accommodate both left and right usage. Packed in 10-packs.

Ref. no.	Model	Blade Width	Blade Length	Total Length	Unit Price
389240	SFRP 18A	18mm	100mm	178mm	9.02



DRY MARKER HDM

Grip-friendly pencil in holster with built-in sharpener for clear markings. Packed in 10-packs.

Ref. no.	Model	Length	Width	Height	Unit Price
650100	HDM	164mm	21mm	28mm	15.35



reddot design award



5 PIECE EDC CHISEL SET

An everyday chisel for tough precision and all round use. High-quality Japanese steel blade with heavy-duty handle. Each chisel has a smart holster for protection and easy access. The set includes 5 EDC chisels: 6mm, 12mm, 18mm, 25mm and 32mm.

Ref. no.	Pack Qty	Unit Price
390006	1	110.34



red dot design award



4 PIECE HDC CHISEL SETS

Forged in one piece with an I-beam for extreme durability and to maximise the force transmission down to the work piece. Ideal for tasks requiring extreme strength and precision. Each chisel has a smart holster for protection and easy access.

Ref. no.	Chisel widths	Pack Qty	Unit Price
390671	6mm, 12mm, 18mm, 25mm	1	175.12
390673	12mm, 18mm, 25mm, 32mm	1	178.79
390295	20mm, 25mm, 32mm, 40mm	1	188.59



red dot design award



CARPENTER'S HAMMER TC

An ergonomically designed hammer, forged in one piece for increased durability with a vibration damping urethane plug. Thin, strong rounded claw that affords easy access without leaving marks. The claw opening and angle give the best possible grip on the nail. Ergonomically designed handle with clear end stop and a secure grip. Packed in 2-packs.

Ref. no.	Model	Weight	Handle	Unit Price
820110	TC 16 L	720g	Large	57.56
820120	TC 16 XL	720g	X-Large	57.56
820130	TC 20 L	795g	Large	62.91
820140	TC 20 XL	795g	X-Large	62.91



red dot design award



HANDSAW HBX

Hultafors' unique teeth with 3-phase grinding combine efficiency and a good bite with nice straight cuts without chipping. The 1mm thick steel blade with a unique eco-friendly wax coating gives less friction and power-consuming side vibrations. Packed in 4-packs.

Ref. no.	Model	Blade Length	Teeth/Inch	Unit Price
590703	HBX-22-7	550mm	7 tpi	49.18
590903	HBX-22-9	550mm	9 tpi	49.18
591103	HBX-22-11	550mm	11 tpi	49.18



red dot design award



OUTDOOR KNIFE OK4 GH

A durable outdoor knife with friction grip suitable for tough tasks in the field. The hard-wearing textile belt loop is equipped with a pocket for a fire starter. The blade has a Scandi grind, made from 3.0mm carbon steel that has been hardened to 58-60 HRC and has a rust protective electrophoretic deposition coating to withstand corrosion. The ground spine of the blade is designed for starting a fire with a fire starter. Packed in 10-packs.

Ref. no.	Blade Length	Total Length	Unit Price
380270	93mm	209mm	27.69



red dot design award



ADJUSTABLE WRECKING BAR 209 SB

Wrecking bar manufactured in high quality steel with ergonomic rubber-clad handle. Articulated claw, adjustable to nine different positions. Wide, ground contact surfaces and thin ends make it easy to use and reduce the risk of leaving marks. Packed in 2-packs.

Ref. no.	Length	Weight	Unit Price
824115	640mm	1730g	147.94



red dot design award



CC LONG MEASURING TAPE

The CC measuring tapes have a unique one-hand grip for each case size, enabling optimal handling. Available in a variety of lengths with either a 'Matt Coat' polyester coated steel or PVC overcoated fibreglass blade. With a solid high-impact case of ABS plastic that is tougher than an equivalent steel case. Unique loop with added features and a mouth-piece with anti-wear function. Hole hanger for strap enabling safe work at heights. Packed in 2-packs.

Ref. no.	Model	Length	EC Class	Blade Width	Blade Type	Unit Price
390113	CC10ME	10m/33ft	I	10mm	Matt Coat	33.13
390103	CC10M	10m	I	10mm	Matt Coat	33.13
390213	CC20ME	20m/66ft	I	10mm	Matt Coat	43.28
390203	CC20M	20m	I	10mm	Matt Coat	43.28
390313	CC30ME	30m/100ft	I	10mm	Matt Coat	57.50
390303	CC30M	30m	I	10mm	Matt Coat	57.50
390413	CX30ME	30m/100ft	I	13mm	Matt Coat	64.00
390403	CX30M	30m	I	13mm	Matt Coat	64.00
390503	CX50M	50m	I	13mm	Matt Coat	91.30
390513	CX50ME	50m/165ft	I	13mm	Matt Coat	91.48
391103	CC10FM	10m	II	13mm	Fibreglass	38.18
391213	CC20FME	20m/66ft	II	13mm	Fibreglass	46.45
391203	CC20FM	20m	II	13mm	Fibreglass	46.45
391313	CC30FME	30m/100ft	II	13mm	Fibreglass	59.71
391303	CC30FM	30m	II	13mm	Fibreglass	59.71

CRAFTSMAN'S KNIVES ADAPTED TO SUIT YOU

Hultafors knife blades are manufactured from high quality Japanese steel. The edges are sharpened in several stages and are finally honed on a leather strop. Both the handle and the holsters are made of durable polypropylene plastic and are designed with a unique method of attaching the holster to a button on your work clothes.

Our range includes knives with ingenious components that help you in your work and prevent damage to the knife.

Knives

Packed in 10-packs unless otherwise stated.

† Indicates a carded product.

OUTDOOR KNIFE OK1

3mm carbon steel blade featuring scale and ground spine to facilitate use of a firestarter.

Designed for outdoor use. Holster features a detachable hard-wearing textile belt loop which includes a pocket for a firestarter.



Ref. no.	Model	Blade Length	Total Length	Unit Price
380110	OK1	93mm	225mm	24.61

OUTDOOR KNIFE OK4 GH

3mm carbon steel blade featuring scale and ground spine to facilitate use of a firestarter. Gripped handle.

Designed for outdoor use. Holster features a detachable hard-wearing textile belt loop which includes a pocket for a firestarter.



Ref. no.	Model	Blade Length	Total Length	Unit Price
380270	OK4	93mm	209mm	27.69
382270†	OK4	93mm	209mm	29.36

FIRE STEEL FS

100mm long and 10mm in diameter for use in all weathers. To be used against the spine of the OK1 and OK4 knives whose holsters come with fire steel holders. The elastic strap provides extra grip.



Ref. no.	Model	Total Length	Unit Price
380280	FS	100mm	15.09

OUTDOOR FOLDING KNIFE OKF

2.8mm black-coated stainless steel blade. Ideal for fishing trips or the forest. Simple, safe locking of the blade is possible using a button on the side of the handle. Features a reversible belt clip.



Ref. no.	Model	Blade Length	Total Length	Unit Price
380310	OKF	70mm	188mm	52.70

PRECISION KNIFE PK GH

2mm carbon steel blade. Designed for precision work such as carving.



Ref. no.	Model	Blade Length	Total Length	Unit Price
380220	PK GH	93mm	208mm	11.92
382220†	PK GH	93mm	208mm	13.45

ROPE KNIFE RKR GH

2mm stainless steel blade. Optimised for cutting through hard or tough surfaces.



Ref. no.	Model	Blade Length	Total Length	Unit Price
380230	RKR GH	93mm	209mm	17.07
382230†	RKR GH	93mm	209mm	17.91

RESCUE KNIFE OKR GH

2mm stainless steel blade. Optimised for cutting through hard or tough surfaces. Designed with a dull point to minimise injuries.



Ref. no.	Model	Blade Length	Total Length	Unit Price
380240	OKR GH	90mm	206mm	17.07

CRAFTSMAN'S KNIFE HVK

2.5mm carbon steel blade. General purpose knife.



Ref. no.	Model	Blade Length	Total Length	Unit Price
380010	HVK	93mm	208mm	6.49

CRAFTSMAN'S KNIFE HVK BIO

2.5mm carbon steel blade. Handle made from bio-based plastic and the handle design uses less plastic than the standard HVK knife. Available with plastic holster or paper sleeve. General purpose knife.



Ref. no.	Model	Blade Length	Total Length	Unit Price
380150	HVK BIO	90mm	208mm	9.57
385050	HVK BIO PH	90mm	208mm	8.37

CRAFTSMAN'S KNIFE HVK GH

Gripped handle.

2.5mm carbon steel blade.

General purpose knife.



Ref. no.	Model	Blade Length	Total Length	Unit Price
380210	HVK GH	93mm	208mm	11.11

CRAFTSMAN'S KNIFE RFR

2.5mm stainless steel blade.

General purpose knife made in stainless steel.



Ref. no.	Model	Blade Length	Total Length	Unit Price
380060	RFR	93mm	208mm	10.82

CRAFTSMAN'S KNIFE RFR GH

Gripped handle.

2.5mm stainless steel blade.

General purpose knife made in stainless steel.



Ref. no.	Model	Blade Length	Total Length	Unit Price
380260	RFR GH	93mm	208mm	15.63

HEAVY-DUTY KNIFE GK

3mm carbon steel blade.

A powerful and durable ground knife suitable for coarse work such as prizing, breaking and hacking.



Ref. no.	Model	Blade Length	Total Length	Unit Price
380020	GK	94mm	222mm	9.06

SAFETY KNIFE SK

2.5mm carbon steel blade.

Designed with a dull point to minimise injuries.



Ref. no.	Model	Blade Length	Total Length	Unit Price
380080	SK	88mm	203mm	6.50

SAFETY KNIFE SKR

2.5mm stainless steel blade.

Designed with a dull point to minimise injuries.



Ref. no.	Model	Blade Length	Total Length	Unit Price
380090	SKR	88mm	203mm	10.05

ELECTRICAL FITTER'S KNIFE EFK

1.5mm carbon steel blade.

Designed specifically for cable stripping.



Ref. no.	Model	Blade Length	Total Length	Unit Price
380140	EFK	35mm	160mm	6.49
382140†	EFK	35mm	160mm	7.95

ELECTRICIAN'S KNIFE ELK

1.5mm carbon steel blade.

Designed with blade edges for optimum cable stripping.



Ref. no.	Model	Blade Length	Total Length	Unit Price
380030*	ELK	33mm	158mm	6.84
383030**	ELK-L	33mm	158mm	6.84

* Right handed (orange handle)

** Left handed (green handle)



CHISEL KNIFE STK



Robust knife with V-ground chisel function. The blade is made from Japanese knife steel, 3mm carbon steel that has been hardened to 58-60 HRC.

- The cutting edge has been sharpened with a double edge angle and a final honing on a leather strop.
- Both the handle and holster are made from super-durable PP plastic.
- The holster can be attached to both a belt and a button on your work clothes. If your belt is thick, cut away the small pin on the cover.

Ref. no.	Model	Blade Length	Total Length	Pack Qty	Unit Price
380070	STK	72mm	201mm	10	10.81

PAINTER'S KNIFE MK

2.5mm carbon steel blade.

Shaped to open paint tins plus there is a slot screwdriver at the end on the blade.



Ref. no.	Model	Blade Length	Total Length	Unit Price
380040	MK	93mm	208mm	7.50

PLUMBER'S KNIFE VVS

2.5mm stainless steel blade.

Designed with a file for filing off burrs.



Ref. no.	Model	Blade Length	Total Length	Unit Price
380050	VVS	93mm	208mm	12.47

DOUBLE HOLSTER

Quantity per pack: 5.



Ref. no.	Models Included	Unit Price
381010	HVK & HVK	25.58
381020	GK & HVK	27.47
381030	HVK & ELK	24.74
381040	HVK & URA	36.84
381050	SK & USRA	36.13
381060	JS & URA	50.41
381070	STK & URA	39.17
387010	STK & HVK	28.35
387030	STK & ELK	28.00

SAW KNIFE BK-Z SB

0.5mm carbon steel blade. 7 teeth per cm.

Handle ergonomically designed for safety and comfort.

Quantity per pack: 10



Ref. no.	Model	Total Length	Unit Price
389210	BK-Z SB	180mm	14.01

Spare Blades

SAW KNIFE SPARE BLADES



Ref. no.	Model	Blade Width	Total Length	Unit Price
389720 10pk	SB-18	18mm	105mm	15.11

MINERAL WOOL KNIFE FGK



An Insulation knife with a 50mm wide, flexible blade and scale. The serrated blade makes it easy to cut through all types of insulation wool. Grip-friendly handle made from impact-resistant PP plastic.

- The blade is made from 50mm wide carbon steel.
- A serrated blade makes it easy to cut through all types of insulation wool.
- Both the handle and holster are made from super-durable PP plastic.

Ref. no.	Model	Blade Length	Total Length	Pack Qty	Unit Price
389010	FGK	316mm	465mm	5	18.76



UTILITY KNIVES & BLADES

Sharp blades for every trade and ergonomic handles for efficiency and safety - it's time for a sharper standard.



UTILITY KNIFE URA

Light and efficient aluminium case, ergonomically angled design with friction grip for optimal safety, comfort and control. Easy to use turning wheel for blade changing without tools. Includes 10 spare blades.

Quantity per pack: 6



Ref. no.	Model	Total Length	Unit Price
388020	URA	160mm	22.85

UTILITY KNIFE URZ

Sturdy and well-balanced zinc case, ergonomically angled design with outstanding grip for optimal safety, comfort and control. Easy to use turning wheel for blade changing without tools. Includes 10 spare blades.

Quantity per pack: 6



Ref. no.	Model	Total Length	Unit Price
388050	URZ	160mm	19.49

UTILITY KNIFE USRA

Light and comfortable aluminium case, ergonomically angled design with friction grip for optimal safety, comfort and control. Easy to use turning wheel for blade changing without tools. The blade automatically retracts when not under pressure. Includes 10 spare safety blades.

Quantity per pack: 6



Ref. no.	Model	Total Length	Unit Price
388030	USRA	160mm	22.85

UTILITY BLADE HOOK UBH

Hooked tip. Dispenser contains 10 blades.



Ref. no.	Model	Blade Width	Length	Qty/ Pack	Unit Price
388650 10pk	UBH-10	19mm	48mm	10	7.52
388640 100pk	UBH-100	19mm	48mm	4	56.42

UTILITY BLADE SAFETY UBS

Blunt point to minimise stick injuries. Dispenser contains 10 blades.



Ref. no.	Model	Blade Width	Length	Qty/ Pack	Unit Price
388820 10pk	UBS-10	19mm	59mm	10	5.67

UTILITY BLADE ALLROUND UBA

Excellent sharpness and long life. Dispenser contains 10 blades.



Ref. no.	Model	Blade Width	Length	Qty/ Pack	Unit Price
388550 10pk	UBA-10	19mm	61mm	10	5.59
388560 100pk	UBA-100	19mm	61mm	4	42.12

UTILITY BLADE EDGE UBE

Extraordinary sharpness. Dispenser contains 10 blades.



Ref. no.	Model	Blade Width	Length	Qty/ Pack	Unit Price
388720 10pk	UBE-10	19mm	61mm	10	9.70

UTILITY BLADE PERFORMANCE UBP

Extraordinary Long-life performance. Dispenser contains 10 blades.



Ref. no.	Model	Blade Width	Length	Qty/ Pack	Unit Price
388920 10pk	UBP-10	19mm	61mm	10	16.41

UTILITY BLADE STAMINA UBX

Extremely durable bi-metal blade developed to offer sharpness and long-life like no other blade. Dispenser contains 5 blades.



Ref. no.	Model	Blade Width	Length	Qty/ Pack	Unit Price
388320 5pk	UBX-5	19mm	61mm	10	24.70



PRECISION IN EVERY CUT

The Hultafors range of snap-off knives and spare blades are all defined by high precision, excellent sharpness and long-lasting performance.

Combined with clever and ergonomic design, these features guarantee a focused and efficient job.



SNAP-OFF KNIFE SFRPB 18A/W

Ergonomic snap-off knife with a bent tail fin. The rubberised grip makes it ideal for cutting tougher materials demanding more power, such as plasterboard, insulation, aqua panel and wood. It has a tapered knife tip with extended front of blade rail for better stability, access and visibility. The bent tail fin efficiently tucks carpets or opens cans. The knife includes a dispenser with 3 spare blades and is made of durable PC-plastic (Polycarbonate) with a steel core for added stability. 1mm thick metal blade rail for additional stability.



Ref. no.	Model	Lock	Blade Width	Blade Length	Total Length	Pack Qty	Unit Price
389340	SFRPB 18A	Auto	18mm	100mm	193mm	10	9.63
389350	SFRPB 18W	Wheel	18mm	100mm	193mm	10	9.63

SNAP-OFF KNIFE SFRP 18A/W

Ergonomic snap-off knife with tail fin for tucking carpets or opening cans. Suitable for all-round use, the design with rubberised grip makes it suitable for cutting materials demanding more power such as plasterboard, insulation, aqua panel and wood. Tapered for better visibility, access and control. The knife includes a dispenser with 3 spare blades and is made of durable PC-plastic (polycarbonate) with a steel core for added stability. 1mm thick metal blade rail for additional stability. The knife features a symmetric design to accommodate both left and right usage.



Ref. no.	Model	Lock	Blade Width	Blade Length	Total Length	Pack Qty	Unit Price
389240	SFRP 18A	Auto	18mm	100mm	178mm	10	9.02
389250	SFRP 18W	Wheel	18mm	100mm	178mm	10	9.02

SNAP-OFF KNIFE SRP

The snap-off knife SRP is an ergonomic, robust knife available in four different model types. The design with rubberised grip makes it suitable for materials demanding more power. Tapered for better visibility, access and control. The knife includes a dispenser with 3 spare blades and is made of durable PC-plastic (polycarbonate) with a steel core for added stability. 1mm thick metal blade rail for additional stability. The knife features a symmetric design to accommodate both left and right usage.

SNAP-OFF KNIFE SRP 18A/W

Suitable for all-round use such as cutting plasterboard, insulation, aqua panel and wood.



Ref. no.	Model	Lock	Blade Width	Blade Length	Total Length	Pack Qty	Unit Price
389220	SRP 18A	Auto	18mm	100mm	156mm	10	8.40
389230	SRP 18W	Wheel	18mm	100mm	156mm	10	8.40

SNAP-OFF KNIFE SRP 25A/W

Suitable for cutting thick carpets or insulation.



Ref. no.	Model	Lock	Blade Width	Blade Length	Total Length	Pack Qty	Unit Price
389260	SRP 25A	Auto	25mm	125mm	156mm	6	13.95
389270	SRP 25W	Wheel	25mm	125mm	156mm	6	13.95

SNAP-OFF KNIFE SPP

The snap-off knife SPP is a robust knife, available in five different model types. The slim design makes it suitable for all-round use. Tapered for better visibility, access and control. The knife is made of durable PC-plastic (polycarbonate) with a steel core for added stability. The knife features a symmetric design to accommodate both left and right usage.

SNAP-OFF KNIFE SPP 9A

Suitable for precision cuts such as intricate paper cutting or opening boxes. Easy to attach to a pocket using the clip which can also be used for safe blade snapping. Auto lock function.



Ref. no.	Model	Lock	Blade Width	Blade Length	Total Length	Pack Qty	Unit Price
389140	SPP 9A	Auto	9mm	80mm	147mm	10	4.12

SNAP-OFF KNIFE SPP 18A/W

Suitable for all-round use such as cutting plastic, paperboard and stripping cables. 1mm thick metal blade rail for additional stability. Available with auto lock or wheel lock function.



Ref. no.	Model	Lock	Blade Width	Blade Length	Total Length	Pack Qty	Unit Price
389150	SPP 18A	Auto	18mm	100mm	157mm	10	7.21
389160	SPP 18W	Wheel	18mm	100mm	157mm	10	7.21

SNAP-OFF KNIFE SPP 25A/W

Suitable for cutting thick carpets or insulation. 1mm thick metal blade rail for additional stability. Available with auto lock or wheel lock function.



Ref. no.	Model	Lock	Blade Width	Blade Length	Total Length	Pack Qty	Unit Price
389280	SPP 25A	Auto	25mm	125mm	186mm	6	11.47
389290	SPP 25W	Wheel	25mm	125mm	186mm	6	11.47



Snap-Off Knife Spare Blades

SNAP-OFF BLADE ALLROUND

A reliable blade for everyday cutting with excellent sharpness and long life, developed for all-round usage such as cutting plastic and paperboard, stripping cables and opening boxes. 9mm blade comes in a pack of 10. 18/25mm blades come in a practical storage box with 4 dispensers holding 3 spare blades each. The box can be used for snapping blades and safely storing worn-out blades. 8-12 sections per blade, the last blade can also be used.



Ref. no.	Model	Blade Width	Blade Length	Pack Qty	Unit Price
389530	SBA9-10	9mm	80mm	10	6.01
389630	SBA18-4X3	18mm	100mm	10	10.10
389650	SBA25-4X3	25mm	125mm	10	14.21

SNAP-OFF BLADE NON-SEGMENT

A flexible blade for precision work close to the workpiece. Used for removing residues of glue and silicone. Fits snap-off knives that use 18/25mm wide blades. The blade can be mounted for right and left-handed usage.



Ref. no.	Model	Blade Width	Blade Length	Pack Qty	Unit Price
389740	SBN18-4X3	18mm	100mm	10	24.95

SNAP-OFF BLADE EDGE

A blade with extra sharpness for tasks demanding precision, developed for precision cuts and when cutting plasterboard. 9mm blade comes in a pack of 10. 18/25mm blades come in a practical storage box with 4 dispensers holding 3 spare blades each. The box can be used for snapping blades and safely storing worn-out blades. 8-12 sections per blade.



Ref. no.	Model	Blade Width	Blade Length	Pack Qty	Unit Price
389830	SBE18-4X3	18mm	100mm	10	12.11
389860	SBE25-4X3	25mm	125mm	10	19.80

SNAP-OFF BLADE PERFORMANCE

A blade with sharp long-life performance for tougher cuts, developed for cutting insulation, plasterboard and carpets. Comes in a practical storage box with 4 dispensers holding 3 spare blades each. For 18/25mm blades the box can be used for snapping blades and safely storing worn-out blades. 8 sections per blade, the last blade can also be used.



Ref. no.	Model	Blade Width	Blade Length	Pack Qty	Unit Price
389920	SBP18-4X3	18mm	100mm	10	21.64

Chisels

Packed in 5-packs unless otherwise stated.

CHISEL HDC

Forged in one piece with an I-beam for extreme durability and to maximise the force transmission down to the work piece.

Ideal for tasks requiring extreme strength and precision.

A perfect ground blade, bevelled at 25° for the best possible ratio of sharpness and durability.

The entire chisel including the handle can be positioned flat against the surface for expanded uses.

Smart holster for protection and easy access.

Quantity per pack: 2



Ref. no.	Model	Blade Width	Total Length	Unit Price
390603	HDC 6	6mm	265mm	44.44
390613	HDC 8	8mm	265mm	44.53
390623	HDC 10	10mm	265mm	44.71
390633	HDC 12	12mm	265mm	44.81
390643	HDC 16	16mm	265mm	45.12
390653	HDC 18	18mm	265mm	45.52
390263	HDC 20	20mm	265mm	45.72
390273	HDC 25	25mm	265mm	46.38
390283	HDC 32	32mm	265mm	48.04
390663	HDC 38	38mm	265mm	50.00
390293	HDC 40	40mm	265mm	55.11

REPLACEABLE NYLON STRIKER

The striking face is highly resistant.

Available as a replaceable spare part.

Quantity per pack: 1



Ref. no.	Model	Total Length	Unit Price
390299	Spare Striker	200mm	6.28

OUTCANNEL GOUGE OGC

Curved chisel, sharpened on the outside, giving a perfect 8mm radius in one stroke. Perfect for making cable ditches. High-quality Japanese steel blade with heavy-duty handle. Smart holster for protection and easy access.



Ref. no.	Model	Blade Width	Total Length	Unit Price
390123	OGC r8	8mm	232mm	29.09

INCANNEL GOUGE IGC

Curved chisel, sharpened on the inside, giving a perfect 11mm radius in one stroke. Perfect for locks and hinges. High-quality Japanese steel blade with heavy-duty handle. Smart holster for protection and easy access.



Ref. no.	Model	Blade Width	Total Length	Unit Price
390133	IGC d22	11mm	232mm	29.09

CHISEL EDC

An everyday chisel for tough precision and all round use.

High-quality Japanese steel blade with heavy-duty handle.

Smart holster for protection and easy access.



Ref. no.	Model	Blade Width	Total Length	Unit Price
390013	EDC 6	6mm	232mm	20.50
390023	EDC 10	10mm	232mm	20.87
390033	EDC 12	12mm	232mm	21.36
390043	EDC 16	16mm	232mm	21.78
390053	EDC 18	18mm	232mm	22.09
390063	EDC 20	20mm	232mm	22.62
390073	EDC 25	25mm	232mm	22.99
390083	EDC 32	32mm	232mm	23.39

CHISEL EDC & CRAFTSMAN'S KNIFE HVK IN A DOUBLE HOLSTER

The Chisel EDC 25mm and Craftsman's knife HVK form the perfect combination.

Supplied in an easily accessible double holster, made from impact-resistant PP plastic, joined by rivets and hardwearing leather.

Japanese steel blades with heavy-duty handles designed to withstand repeated hammer blows.

Quantity per pack: 6.



Ref. no.	Model	Total length	Unit Price
391073	EDC 25 & HVK	232mm & 208mm	47.11

4 PIECE HDC CHISEL SET

Each set includes 4 HDC chisels.



Ref. no.	Chisel Widths	Pack Qty	Unit Price
390295	20, 25, 32 & 40mm	1	188.59
390671	6, 12, 18 & 25mm	1	175.12
390673	12, 18, 25 & 32mm	1	178.79

5 PIECE EDC CHISEL SET

Set includes 5 EDC chisels: 6mm, 12mm, 18mm, 25mm and 32mm sizes.



Ref. no.	Pack Qty	Unit Price
390006	1	110.34

NEW TO THE UK!

EDC CHISEL SET

New 5 piece EDC chisel set in practical canvas carry bag. Set includes 6, 10, 12, 16 and 25mm sizes.



Ref. no.	Pack Qty	Unit Price
390005	1	110.34



TESTED FOR THE REAL WORLD



Engineered for professionals, the Hultafors collection of tool bags combines ultimate functionality with rugged design.

Crafted from an extremely durable, water-repellent 1680D polyester, our Tool Carriers are the fortress your tools deserve. Stains, dust, mildew — our bags resist them all, ensuring your gear remains organised and protected.

TOOL BUCKET

Ergonomically shaped bucket designed for carrying tools. Robust handle for comfortable tool carrying that can be put in standing position when put down. Measuring scale on the inside, can take a burden of 100kg.



Ref. no.	Model	Length	Width	Height	Unit Price
590101	TB1	304mm	433mm	239mm	24.17
590100 14 pk	TB1 Display	332mm	461mm	782mm	24.17

TOOL BUCKET ORGANISER

The Tool Bucket Organiser is an insert with 31 pockets and tool holders including a cordless drill holster - exclusively developed to fit the Hultafors Tool Bucket. Secured by straps for a perfect fit. Metal carabiner for safely securing key inside one of the closed front pockets. Made from heavy-duty ballistic polyester fabric for increased durability. Weight: 0.709kg, volume: 3.071L.



Ref. no.	Model	Length	Width	Height	Unit Price
590102	TBO	175mm	195mm	90mm	28.04

MOLDED BASE TOOL BACKPACK

Ergonomic, heavy duty, all-purpose tool backpack with a robust moulded base, adjustable straps and 48 pockets and tool holders. The base prevents the bag from tipping over, protects the bottom from moisture, dirt and wear - and keeps your tools dry. Features two compartments that zip open fully for maximum overview and access. Compartment closest to your back has a padded pocket for laptops (up to 15"), tablets and documents. Also features medium-sized pockets with lids and zippers, an external water bottle pocket, tape measure holder, pen holders, key chain holder and elastic loops for smaller tools such as screwdrivers.



Ref. no.	Length	Width	Height	Unit Price
590120	480mm	370mm	340mm	142.51

TROLLEY TOOL BAG

Large, versatile trolley tool bag featuring 33 pockets and tool holders, perfect for any tradesperson who needs to bring an extensive set of tools to the worksite. It's designed to carry power tools, hand tools, electronics, gadgets - everything you need. Large, treaded wheels and a telescopic aluminium handle allows you to easily pull it along over most surfaces. Features one single large compartment lined with pockets and tool holders. There is a strap for fastening the lid in an open position, external pockets, padded handles and a set of straps for attaching spirit levels or other long and narrow tools.



Ref. no.	Length	Width	Height	Unit Price
590170	470mm	530mm	370mm	174.35

OPEN-TOP TOOL CARRIER

All-purpose, soft-sided tool box featuring 35 pockets and tool holders, an open top and lower sides for easy access and overview. The large centre compartment is lined with pockets and tool holders, external pockets include a holder for long, narrow tools such as spirit levels and saws, a tape measure holder, electrician's tape strap, pen holders, key chain holders and elastic loops for smaller tools such as screwdrivers. Extra high handle with rubber covering allowing for a comfortable grip.



Ref. no.	Length	Width	Height	Unit Price
590140	540mm	310mm	290mm	81.51

TOOL BACKPACK

Ergonomic, all-purpose tool backpack with 48 pockets and tool holders, adjustable straps and two large, zippered compartments that zip open fully for maximum overview and access. Through a zipper on the side, you can access a third, central padded compartment that can fit laptops (up to 15"), tablets and documents. The large pocket on the front of the bag features a buckled strap for securing large/unruly equipment, materials, cables and components. Also has medium sized pockets with lids/ zippers and straps for securing power tools and chargers, external tape measure holder, pen holders, a key chain holder and a small loop for attaching a carabiner.



Ref. no.	Length	Width	Height	Unit Price
590130	430mm	380mm	330mm	125.89



ELECTRICIAN'S TOOL BAG

Open top, soft-sided tool bag with 34 pockets and tool holders and a square footprint that provides great stability, such as when being transported in a car. The bag's main space is divided into three equal compartments lined with pockets and tool holders, and the dividing sections are riveted onto the main body of the bag for extra rigidity. Also features medium sized pockets with lids and zippers, a transparent pocket and an assortment box for storing screws and other small components that fits into a large pocket on the outside of the bag. Also has an external tape measure holder, an electrician's tape strap, a key chain holder and elastic loops for smaller tools such as screwdrivers.



Ref. no.	Length	Width	Height	Unit Price
590150	470mm	340mm	310mm	81.69

ERGONOMIC TOOL CARRIER

Open, soft-sided toolbox with 25 pockets and tool holders, designed for ergonomic carrying. The back of the bag has an ergonomic curve to give your leg better room to move. Features a robust, moulded base to prevent the bag tipping over and protects from moisture, dirt and wear - keeping your tools dry. The front and bag of the back has different heights for a good overview and access from the front, and support for your tools on the back. Large centre compartment lined with pockets and tool holders and medium sized pockets with lids and zippers. Also includes a rain and dust cover made from ripstop fabric with a padded, adjustable shoulder strap.



Ref. no.	Length	Width	Height	Unit Price
590110	420mm	260mm	270mm	96.25

ELECTRICIAN'S TOOL POUCH

Ergonomic tool pouch with 21 pockets and tool holders for electricians and technicians. Shaped like a small messenger bag and designed to be worn whilst working - keeping your tools within reach. Can be attached to a belt, up to 60mm wide. The zippered lid keeps equipment safe and the main compartment has multiple pockets to help organise tools. Also includes an external tape measure holder, electrician's tape strap, a small loop for attaching a carabiner, elastic loops for smaller tools such as screwdrivers and holders for a key chain, hammer and pens.



Ref. no.	Length	Width	Height	Unit Price
590180	390mm	310mm	150mm	62.28

ZIPPERED TOOL BAGS

Set of two small tool bags for storage of special tools, equipment or materials like screws, tacks, bits etc. Each bag has three storage spaces, one large compartment and 2 smaller pockets. The bags also feature a textile loop which makes them easier to carry or hang from a bag, belt or a hook.



Ref. no.	Length	Width	Height	Unit Price
590190	300mm	250mm	20mm	16.87

HAMMER AND TOOL HOLDER

A tool holster with a sturdy metal hammer holder and a pocket for utility knives, pliers or other small tools that you always want to keep close at hand. You can hang it from your belt via a loop at the top and it fits belts up to 50mm wide.



Ref. no.	Length	Width	Height	Unit Price
590210	200mm	90mm	70mm	16.87

TECHNICIAN'S TOOL BAG

A closed, compact tool bag with 48 pockets and tool holders designed for technicians, maintenance workers and electricians, and has three zipped compartments. The centre compartment has an extra large, 'big mouth' opening with a framing that allows you to leave it fully open whilst working. Side compartments zip open fully for maximum overview and access. Features medium sized pockets with lids and zippers for safe storage. Also includes an external tape measure holder, key chain holder, pen holder and transparent pockets.



Ref. no.	Length	Width	Height	Unit Price
590160	360mm	350mm	270mm	96.25

TECHNICIAN'S POUCH

NEW

An extra pocket for your must-have tools, this pouch can be easily added to your belt using a snap closure or slide the padded flap into your pocket and it will stay there securely. The choice is yours. It has 8 pockets and tool holders including an electrical tape strap. The large pocket is big enough to fit the most important tools for your day. Made of our durable 1680 Denier ballistic polyester.

- 8 pockets and tool holders and a tape strap
- Rear flap and snap closure for easy attachment



Ref. no.	Length	Width	Height	Weight	Volume	Unit Price
592020	315mm	175mm	80mm	252g	4.410 l	19.60

MAINTENANCE POUCH

NEW

Have all your favourite tools close at hand with this smooth maintenance pouch. Keep your tools organised with 14 pockets and tool holders. This pouch has room for it all, including tape sling and a sleeve that holds a flashlight or voltage tester for easy access. It's a premium quality pouch made of durable 1680 Denier ballistic polyester fabric, that's easy to attach to your belt and stays in place throughout your day.

- 14 pockets and tool holders
- Electrical tape strap
- Fits belts up to 50mm



Ref. no.	Length	Width	Height	Weight	Volume	Unit Price
592030	280mm	200mm	105mm	274g	5.880 l	23.08

ZIP-TOP UTILITY POUCH

NEW

This medium-sized zip-top utility pouch has a main compartment that you can close with double-pull zippers to secure your tools and prevent smaller pieces from falling out. Made in durable 1680 Denier ballistic polyester fabric, it includes a tape measure clip and an electrical tape strap for easy access. When you are done for the day, you just close the zipper and detach the pouch, knowing everything is secure and will stay there.

- 18 pockets and tool holders and a zippered lid
- Snap-back that keeps lid out of the way, for easy access
- Large front panel pocket, tape strap and clip for measuring tape
- Fits belts up to 50mm



Ref. no.	Length	Width	Height	Weight	Volume	Unit Price
592040	330mm	200mm	130mm	468g	8.580 l	31.20

LEATHER TOOL ROLL LTR

Leather tool roll for keeping tools such as chisels, screwdrivers, wrenches and knives safe and organised. Features 12 riveted pockets, sized 50 x 120mm.

Size spread out: 600 x 410mm, size rolled up: 350 x diameter 100mm.

Quantity per pack: 1.



Ref. no.	Model	Length	Width	Height	Unit Price
390681	LTR	500mm	200mm	20mm	30.60

HAMMER HOLDER

Ergonomically-angled design prevents the hammer-handle from striking your leg when walking, or getting in the way when bending down on your knees. The angle also makes it easy to access the hammer. Easy to attach to trousers, a belt or a tool vest. Made in extra strong, yet flexible thermoplastic that will not damage delicate surfaces.

Quantity per pack: 10.



Ref. no.	Model	Length	Width	Height	Unit Price
592000	HMRH	67mm	70mm	90mm	14.14





New tool carriers for easy access and carrying

CRAFTSMAN'S OPEN WIDE TOOL CARRIER

This is a classic, all purpose, soft sided tool box. It has an open top with lower sides for easy access and overview. The large centre compartment is lined with pockets and tool holders. Alternating red and black fabric makes it easier to tell different tools and pockets apart. Quantity per pack: 1.

NEW



Ref. no.	Length	Width	Height	Unit Price
590220	500mm	270mm	300mm	68.38

SPIRIT LEVEL BAG - LONG

This padded sleeve will make sure to protect and guard your spirit level during transport and storage. The sensitivity in a spirit level lies in the crush proof vials and the profile. So slip your favourite spirit level into the padded sleeve and you are good to go knowing it will be protected from accidental bumps and drops during transport and storage.

It's reliable protection that prolongs the lifespan of your spirit level. Quantity per pack: 1.

NEW



Ref. no.	Length	Width	Height	Unit Price
590200	320mm	200mm	100mm	30.04

SPIRIT LEVEL BAG - 60CM

This padded sleeve will make sure to protect and guard your spirit level during transport and storage. The sensitivity in a spirit level lies in the crush proof vials and the profile. So slip your favourite spirit level into the padded sleeve and you are good to go knowing it will be protected from accidental bumps and drops during transport and storage.

It's reliable protection that prolongs the lifespan of your spirit level. Quantity per pack: 1.

NEW



Ref. no.	Length	Width	Height	Unit Price
590210	220mm	150mm	70mm	14.63





THE HULTAFORS SCREWDRIVER RANGE

The Hultafors range of screwdrivers includes Slotted, Phillips, Pozidriv and Torx® models featuring both long and short blades, VDE screwdrivers, Voltage Testers, Hex Drivers, Bit Holders and Torsion Diamond Bits.

A variety of screwdriver and bit holder sets featuring a selection of the most common models are also available, ideal for various tasks.

The range has been developed together with professionals, ensuring excellent design ergonomics, colour coding and clear permanent marking feature strongly. Manufactured in high quality, hardened steel with a handle in durable PPC plastic and easy-to-grip rubber.

Screwdrivers

Hultafors screwdrivers feature an ergonomic design for optimal comfort. The handle is made from durable PPC plastic with a coating of age-resistant and easy-to-grip rubber and ensures grip for precision and maximal transmission of power. The permanent marking of type and size on the top as well as the handle's colour, make it easy to select the right screwdriver from a tool carrier. The blade is manufactured from high-quality hardened steel for a long life. The design prevents the screwdriver from rolling on inclined surfaces and features a hole for hanging or securing.

Packed in 1-packs unless otherwise stated.

⊖ SLOTTED SCREWDRIVER



Ref. no.	Model	Tip Size	Blade Length	Blade Diameter	Handle Size	Unit Price
440035	SL 0.4x2.5x75	0.4x2.5	75mm	2.5mm	Small	6.96
440045	SL 0.5x3.0x75	0.5x3.0	75mm	3.0mm	Small	7.90
440055	SL 0.6x3.5x100	0.6x3.5	100mm	3.5mm	Small	8.71
440065	SL 0.8x4.0x100	0.8x4.0	100mm	4.0mm	Medium	9.32
440095	SL 1.0x5.5x125	1.0x5.5	125mm	5.0mm	Medium	10.09
440115	SL 1.2x6.5x150	1.2x6.5	150mm	6.0mm	Large	13.79
440145	SL 1.2x8.0x175	1.2x8.0	175mm	8.0mm	Large	15.00
440185	SL 1.6x10.0x200	1.6x10.0	200mm	8.0mm	Large	17.53

⊕ PHILLIPS SCREWDRIVER



Ref. no.	Model	Tip Size	Blade Length	Blade Diameter	Handle Size	Unit Price
440505	PH 0x60	PH 0	60mm	3.5mm	Small	8.21
440515	PH 1x80	PH 1	80mm	5.0mm	Medium	9.48
440525	PH 2x100	PH 2	100mm	6.0mm	Large	14.44
440535	PH 3x150	PH 3	150mm	8.0mm	Large	18.80

⊕ POZIDRIV SCREWDRIVER



Ref. no.	Model	Tip Size	Blade Length	Blade Diameter	Handle Size	Unit Price
441005	PZ 0x60	PZ 0	60mm	3.5mm	Small	9.32
441015	PZ 1x80	PZ 1	80mm	5.0mm	Medium	10.76
441025	PZ 2x100	PZ 2	100mm	6.0mm	Large	13.79
441035	PZ 3x150	PZ 3	150mm	8.0mm	Large	20.07

⊕ TORX® SCREWDRIVER



Ref. no.	Model	Tip Size	Blade Length	Blade Diameter	Handle Size	Unit Price
441545	T 05x70	T 05	70mm	3.0mm	Small	10.09
441555	T 06x70	T 06	70mm	3.0mm	Small	10.09
441565	T 07x70	T 07	70mm	3.0mm	Small	10.76
441575	T 08x70	T 08	70mm	3.0mm	Small	12.51
441585	T 09x70	T 09	70mm	3.0mm	Small	12.51
441595	T 10x80	T 10	80mm	3.0mm	Small	13.90
441605	T 15x80	T 15	80mm	3.5mm	Medium	14.33
441615	T 20x90	T 20	90mm	4.0mm	Medium	14.83
441625	T 25x90	T 25	90mm	4.5mm	Medium	15.17
441635	T 27x110	T 27	110mm	5.5mm	Medium	17.10
441645	T 30x110	T 30	110mm	6.0mm	Large	17.67
441655	T 40x120	T 40	120mm	7.0mm	Large	18.50

⊖ STUBBY SLOTTED SCREWDRIVER



Ref. no.	Model	Tip Size	Blade Length	Blade Diameter	Handle Size	Unit Price
444065	SL 1.2x6.5x25	6.5mm	25mm	6.0	Stubby	10.23

⊕ STUBBY PHILLIPS SCREWDRIVER



Ref. no.	Model	Tip Size	Blade Length	Blade Diameter	Handle Size	Unit Price
444115	PH 1x25	PH 1	25mm	5.0mm	Stubby	9.97
444125	PH 2x25	PH 2	25mm	6.0mm	Stubby	10.59

⊕ STUBBY POZIDRIV SCREWDRIVER



Ref. no.	Model	Tip Size	Blade Length	Blade Diameter	Handle Size	Unit Price
444215	PZ 1x25	PZ 1	25mm	5.0mm	Stubby	10.23
444225	PZ 2x25	PZ 2	25mm	6.0mm	Stubby	11.37

⊕⊖ SCREWDRIVER SET PHILLIPS (PH) & SLOTTED (SL)

Contains 6 pieces - Phillips PH 1, PH 2 and slotted screwdrivers in sizes 3, 4, 5.5 and 6.5.



Ref. no.	Model	Unit Price
444405	HSS SL/PH	56.67

⊕⊖ SCREWDRIVER SET POZIDRIV (PZ) & SLOTTED (SL)

Contains 6 pieces - Pozidriv PZ 1, PZ 2 and slotted screwdrivers in sizes 3, 4, 5.5 and 6.5.



Ref. no.	Model	Unit Price
444415	HSS SL/PZ	57.68

⊕⊕⊖ SCREWDRIVER SET PHILLIPS (PH), POZIDRIV (PZ) & SLOTTED (SL)

Contains 6 pieces - Phillips PH 1, PH 2, Pozidriv PZ 1, PZ 2 and slotted screwdrivers in sizes 4 and 5.5.



Ref. no.	Model	Unit Price
444425	HSS SL/PH/PZ	59.00

⊕ SCREWDRIVER SET TORX®

Contains 6 pieces - Torx® T 10, T 15, T 20, T 25, T 30 and T 40.



Ref. no.	Model	Unit Price
444435	HSS Torx	73.37

VDE Screwdrivers

Hultafors VDE screwdrivers have the same ergonomics as the rest of the range with the addition of an isolated blade. Tested and certified according to IEC 60900 for safe operations up to 1000 V.

Packed in 1-packs unless otherwise stated.

⊖ VDE SLOTTED SCREWDRIVER

Sizes 3.5 – 5.5 have an extra narrow blade for better access in confined spaces.



Ref. no.	Model	Tip Size	Blade Length	Blade Diameter	Handle Size	Unit Price
445035	SL 0.4x2.5x75 VDE	0.4x2.5	75mm	2.5mm	Small	9.32
445045	SL 0.5x3.0x100 VDE	0.5x3.0	100mm	3.0mm	Small	9.62
445055	SL 0.6x3.5x100 VDE	0.6x3.5	100mm	3.5mm	Small	12.51
445065	SL 0.8x4.0x100 VDE	0.8x4.0	100mm	4.0mm	Medium	13.12
445095	SL 1.0x5.5x125 VDE	1.0x5.5	125mm	5.5mm	Medium	14.69
445115	SL 1.2x6.5x150 VDE	1.2x6.5	150mm	6.5mm	Large	14.69
445145	SL 1.2x8.0x175 VDE	1.2x8.0	175mm	8.0mm	Large	17.67

⊕ VDE PHILLIPS SCREWDRIVER

Sizes PH 1 and 2 have an extra narrow blade for better access in confined spaces.



Ref. no.	Model	Tip Size	Blade Length	Blade Diameter	Handle Size	Unit Price
445505	PH 0x60 VDE	PH 0	60mm	3.5mm	Small	9.79
445515	PH 1x100 VDE	PH 1	100mm	5.0mm	Medium	13.56
445525	PH 2x125 VDE	PH 2	125mm	6.0mm	Medium	16.27

⊕ VDE POZIDRIV SCREWDRIVER

Sizes PZ 1 and 2 have an extra narrow blade for better access in confined spaces.



Ref. no.	Model	Tip Size	Blade Length	Blade Diameter	Handle Size	Unit Price
446005	PZ 0x60 VDE	PZ 0	60mm	3.5mm	Small	10.09
446015	PZ 1x100 VDE	PZ 1	100mm	5.0mm	Medium	14.33
446025	PZ 2x125 VDE	PZ 2	125mm	6.0mm	Medium	17.22

⊕ VDE SL/PZ SCREWDRIVER

Combined Pozidriv and slotted screwdriver with an extra narrow blade for better access in confined spaces.



Ref. no.	Model	Tip Size	Blade Length	Blade Diameter	Handle Size	Unit Price
448005	SL/PZ 1x100 VDE	SL/PZ 1	100mm	5.0mm	Medium	15.48
448015	SL/PZ 2x125 VDE	SL/PZ 2	125mm	6.0mm	Medium	17.67

⚙️ VDE TORX® SCREWDRIVER

Sizes T10 – T30 have an extra narrow blade for better access in confined spaces.



Ref. no.	Model	Tip Size	Blade Length	Blade Diameter	Handle Size	Unit Price
446545	T 05x100 VDE	T 05	100mm	3.0mm	Small	13.12
446555	T 06x100 VDE	T 06	100mm	3.0mm	Small	13.29
446565	T 07x100 VDE	T 07	100mm	3.0mm	Small	13.43
446575	T 08x100 VDE	T 08	100mm	3.0mm	Small	13.56
446585	T 09x100 VDE	T 09	100mm	3.0mm	Small	13.79
446595	T 10x100 VDE	T 10	100mm	3.0mm	Small	13.90
446605	T 15x100 VDE	T 15	100mm	3.5mm	Medium	14.22
446615	T 20x100 VDE	T 20	100mm	4.0mm	Medium	15.17
446625	T 25x100 VDE	T 25	100mm	4.5mm	Medium	16.09
446635	T 27x125 VDE	T 27	125mm	5.5mm	Medium	16.88
446645	T 30x125 VDE	T 30	125mm	6.5mm	Large	19.59
446655	T 40x175 VDE	T 40	175mm	8.0mm	Large	23.40

⊕⊖ VDE SCREWDRIVER SET PHILLIPS (PH) & SLOTTED (SL)

Contains 6 pieces - Phillips PH 1, PH 2 and slotted screwdrivers in sizes 2.5, 3.5, 4 and 5.5.



Ref. no.	Model	Unit Price
444455	HSS SL/PH VDE	69.40

⊕⊖ VDE SCREWDRIVER SET POZIDRIV (PZ) & SLOTTED (SL)

Contains 6 pieces - Pozidriv PZ 1, PZ 2 and slotted screwdrivers in sizes 2.5, 3.5, 4 and 5.5.



Ref. no.	Model	Unit Price
444465	HSS SL/PZ VDE	70.41

Voltage Testers

⊖ VOLTAGE TESTER

Screwdriver with built-in voltage tester for 120 – 250 V. Transparent insulated handle with diode and plastic-coated blade. CE marked, VDE/GS-marked.



Ref. no.	Model	Tip Size	Blade Length	Blade Diameter	Unit Price
448105	HVT 3x65	0.5x3.0	65mm	3.0mm	3.32
448115	HVT 3.5x100	0.6x3.5	100mm	3.5mm	4.51

⊖ VOLTAGE TESTER IEC

Screwdriver with voltage tester for 125 – 250 V. Insulated handle and built-in diode. CE marked, certified according to IEC 60900, IP 54.



Ref. no.	Model	Tip Size	Blade Length	Blade Diameter	Unit Price
448125	HVT IEC 3x60	0.5x3.0	65mm	3.0mm	5.30
448135	HVT IEC 3.5x100	0.5x3.5	100mm	3.5mm	6.70

Hex Drivers

○ HEX BALLPOINT SCREWDRIVER



Ref. no.	Model	Tip Size	Blade Length	Blade Diameter	Handle Size	Unit Price
442055	SW 2.5x100	SW 2.5	100mm	3.0mm	Small	9.97
442065	SW 3x100	SW 3.0	100mm	3.5mm	Small	10.09
442085	SW 4x100	SW 4.0	100mm	5.0mm	Medium	11.06
442105	SW 5x100	SW 5.0	100mm	6.0mm	Large	12.03
442125	SW 6x125	SW 6.0	125mm	7.0mm	Large	14.22

● HEX NUTDRIVER FLEX



Ref. no.	Model	Tip Size	Blade Length	Blade Diameter	Handle Size	Unit Price
443105	SW 6x150	SW 6.0	150mm	8.0mm	Medium	24.80
443125	SW 7x150	SW 7.0	150mm	8.0mm	Medium	24.92
443135	SW 8x150	SW 8.0	150mm	8.0mm	Medium	25.14

● HEX NUTDRIVER



Ref. no.	Model	Tip Size	Blade Length	Blade Diameter	Handle Size	Unit Price
442555	SW 3.5x125	SW 3.5	125mm	6.0mm	Small	13.77
442565	SW 4x125	SW 4.0	125mm	6.0mm	Small	13.90
442575	SW 4.5x125	SW 4.5	125mm	6.0mm	Small	14.04
442585	SW 5x125	SW 5.0	125mm	6.0mm	Small	14.21
442595	SW 5.5x125	SW 5.5	125mm	6.0mm	Small	14.35
442605	SW 6x125	SW 6.0	125mm	6.0mm	Medium	14.56
442625	SW 7x125	SW 7.0	125mm	7.0mm	Medium	14.83
442635	SW 8x125	SW 8.0	125mm	7.0mm	Medium	15.00
442645	SW 9x125	SW 9.0	125mm	7.0mm	Large	15.17
442655	SW 10x125	SW 10.0	125mm	7.0mm	Large	15.30
442665	SW 11x125	SW 11.0	125mm	8.0mm	Large	18.15
442675	SW 12x125	SW 12.0	125mm	8.0mm	Large	18.32
442685	SW 13x125	SW 13.0	125mm	8.0mm	Large	19.77
442695	SW 14x125	SW 14.0	125mm	8.0mm	Large	21.96

Bit Holders

● MAGNETIC BIT HOLDER

Standard 1/4" bit holder with magnetic lock.



Ref. no.	Model	Tip Size	Blade Length	Blade Diameter	Handle Size	Unit Price
443505	SW 1/4"x125	SW 1/4"	125mm	6.0mm	Medium	18.80

● QUICK RELEASE BIT HOLDER

Standard 1/4" bit holder with quick release and magnet.



Ref. no.	Model	Tip Size	Blade Length	Blade Diameter	Handle Size	Unit Price
443515	SW 1/4"x30	SW 1/4"	30mm	11mm	Large	15.30

● STUBBY BIT HOLDER


Standard 1/4" bit holder with magnet.



Ref. no.	Model	Tip Size	Blade Length	Blade Diameter	Handle Size	Unit Price
443525	SW 1/4"x10	SW 1/4"	10mm	10mm	Stubby	11.24

BIT HOLDER SET WITH SHORT BITS

Set of short bits and handle in a practical plastic case. Contains 29 pieces - slot bits 3.5, 4.0, 5.5, 6.5, PH 1, PH 2, PH 3, PZ 1, PZ 2, PZ 3, Hex 2, 2.5, 3, 4, 5 and 6.5mm, TORX® T 10, T 15, T 20, T 25, T 30, T 40 and T 45, magnetic nut driver bits 6, 8, 10 and 13mm plus 60mm standard 1/4" bit holder with quick release and magnet.



Ref. no.	Model	Unit Price
444505	HSS Short Bit	91.26

BIT HOLDER SET WITH LONG BITS

Set of long bits and handle in a practical textile holder. Contains 12 pieces - slot bits 4, 5.5 and 6.5, PH 1, PH 2, PH 3, PZ 1, PZ 2, Hex Ballpoint 3, 4, 5 and 6mm, plus TORX® T 10, T 15, T 20, T 25, T 30 and T 40 plus standard 1/4" bit holder with quick lock.



Ref. no.	Model	Unit Price
444515	HSS Long Bit	124.58

BIT HOLDER 60/170

Standard 1/4" magnetic bit holder with quick release function.



Ref. no.	Model	Holder Length	Unit Price
448505	BH 60	60mm	16.54
448515	BH 170	170mm	18.24

BIT HOLDER TORSION

Standard 1/4" magnetic bit holder with quick release function and torsion zone to absorb impact power.



Ref. no.	Model	Holder Length	Unit Price
448525	BHT	80mm	21.78

BIT HOLDER SLIM 60

Standard 1/4" magnetic bit holder with quick release function. Reduced sleeve diameter to allow usage in confined spaces or for recessed screws.



Ref. no.	Model	Holder Length	Unit Price
448535	BHS 60	60mm	21.78

BIT HOLDER PIVOT

Standard 1/4" magnetic bit holder with quick release function. A ball joint allows screws to be tightened up to an angle of 20 degrees. By sliding the sleeve it can also be used as a standard magnetic bit holder.



Ref. no.	Model	Holder Length	Unit Price
448545	BHP	90mm	26.85

⊕ ⊕ TORSION DIAMOND BITS TORX PZ

Bit set with 10 torsion diamond bits and 1 standard 1/4" bit holder with magnet. Contains PZ 1, PZ 2, PZ 3, Torx® T 10, T 15, T 20, T 25, T 30 and T 40. Features a belt clip.



Ref. no.	Model	Unit Price
448705	TDB Torx/PZ	65.99

⊕ ⊕ ⊕ TORSION DIAMOND BITS TORX PZ PH

Bit set with 10 torsion diamond bits and 1 standard 1/4" bit holder with magnet. Contains PH 1, PH 2, PH 3, PZ 1, PZ 2, PZ 3, Torx® T 15, T 20, T 25 and T 30. Features a belt clip.



Ref. no.	Model	Unit Price
448715	TDB Torx/PZ/PH	65.99

HULTAFORS AXES

Forged With Tradition

For thousands of years the axe has been an extension of the arm for humankind. With the help of the axe, man has been able to find his way through unspoiled nature, construct dwellings and butcher wild game. The axe has been a survival tool while at the same time it has offered freedom and independence. He who had a sharp axe could defend himself at all times and also prosper.

Today we no longer need the axe for survival but it still helps us solve a number of practical tasks in everyday life whilst assisting lovers of the outdoors to enrich their leisure time.

With the axe being a part of our cultural heritage, the blacksmith has an essential role both in preserving the axe tradition for coming generations and more importantly, in giving the axe user ultimate satisfaction and utility in the use of his axe.

Hultafors axes are produced at Hults Bruk in Sweden where axes have been forged for over 300 years. In addition to Hultafors' standard axe range, 2018 sees the launch of a new range of premium axes and selection of outdoor accessories, to suit a range of tasks both large and small.

Axes

Hand forged from Swedish steel with a hickory handle.

TREKKING AXE

A small axe for outdoor life in forests and open land. Manufactured in blasted and clear-lacquered ironwork, which is also suitable for work in the garden.



Ref. no.	Weight	Handle	Pack Qty	Unit Price
840025	600g	Hickory	4	97.26
840086	900g	Hickory	4	107.79

FELLING AXE HY

Suitable for small scale tree felling. Manufactured in blasted and clear lacquered ironwork. Curved hickory handle.



Ref. no.	Weight	Handle	Pack Qty	Unit Price
840085	900g	Hickory	4	110.01
840144	1200g	Hickory	4	127.20
840185	1500g	Hickory	4	134.72

SPLITTING AXE KLY

Heavier axe suitable for splitting thick wood. Manufactured in blasted and clear lacquered ironwork. Straight hickory handle.



Ref. no.	Weight	Handle	Pack Qty	Unit Price
840592	1500g	Hickory	2	186.08



Sharp versatility.

DVARDALA HUNTING AND FOREST AXE

Dvardala is a perfect axe for hunting and forest life. It is a combination of several different axe types, ideal for a day in the forest where you might have to deal with a wide range of challenges. It has the same type of head as the Hultafors Åby axe, but the handle is shorter - 440mm long (17 inches) - making the axe easier to bring with you, for example in a backpack. The shorter handle also makes it easier when you work with the axe close to the body. The axe is suitable for precision work such as carving or building shelters, fire stands and other things around a camp site. This is thanks to a well-proportioned hand notch and a semi-straight edge with a flat and wide grind.

The hand notch allows you to grip around the head and steer the axe with maximum control. The edge is a semi-straight with flatter sides allowing the axe to rest firmly against the work piece when you cut along a piece of wood. But it's still curved enough so that the axe can be used for lighter forestry work such as clearing a path or a line of fire. The head is a bit thicker over the cheeks giving it good splitting capabilities so you can chop firewood.

- Hand forged from Swedish carbon dioxide neutral axe steel.
- Semi-straight edge with a Scandinavian grind - polished, razor sharp and ready to use straight away.
- 440mm long (17 inches) wooden handle of linseed oil-treated American hickory.
- The head is secured with both a wooden wedge and a steel ring wedge.
- Sheath made of vegetable tanned Swedish grain leather.



Ref. no.	Model	Weight	Handle Length	Pack Qty	Unit Price
841780	DVARDALA 0.7	960g	440mm	1	165.27
842771	AHC 440-43x18 HB (Spare Handle)	286g	440mm	1	31.51



LEATHER ACCESSORIES

Packed in 1-packs unless otherwise stated.

OVERSTRIKE GUARD

A leather strike guard that protects the handle closest to the axe head in the event of an overstrike. The guard (also known as a handle protector or an axe collar) is tied around the handle using the included leather cords. The strike guard is made in Sweden using Swedish cow hides and it is manufactured with the greatest care for the animals and the environment. The leather is vegetable tanned full grain leather for the best possible durability and the natural treatment means that it will age beautifully when worn. Fits the following Hultafors Premium axes: Ågelsjön, Hultån, Åby, Dvardsala, Ekelund and Qvarfot.



Ref. no.	Model	Length	Unit Price
840793	OGHB	120mm	20.09

AXE HOLSTER

A holster so you can carry your axe with you in your belt and always have it close and ready to use. Remember to always have the axe sheath on when carrying the axe in the holster. The holster is made in Sweden using Swedish cow hides and it is manufactured with the greatest care for the animals and the environment. The leather is vegetable tanned full grain leather for the best possible durability and the natural treatment means that it will age beautifully when worn. Fits belt widths up to 50mm (2 inches). The opening measures approximately 55 x 30mm. Fits the following Hultafors Premium axes: Ågelsjön, Hultån, Åby, Dvardsala (with strike guard) and Ekelund (without strike guard).



Ref. no.	Model	Length	Unit Price
840795	ABHBB	142mm	22.00

AXE SLING

A leather axe sling for carrying your axe on your back, perfect when you don't want to carry a backpack. It is length adjustable between 900 and 1100mm to suit different axes and people. The sling is extra wide over the shoulder to distribute the weight and be comfortable to wear. It attaches to the axe with the carabiners at each end of the sling. One end attaches to the hole in the handle via an extra leather strap that is included, the other end is attached to the axe sheath. (There are only attachment holes on newer sheaths.) The sling is made in Sweden using Swedish cow hides and it is manufactured with the greatest care for the animals and the environment. The leather is vegetable tanned full grain leather for the best possible durability and the natural treatment means that it will age beautifully when worn. Width: 25 - 45mm (1 - 2 inches).



Ref. no.	Model	Weight	Unit Price
840796	ASHB	151g	50.53

LEATHER BELT

A timeless belt engraved with Hults Bruk's classic logo, made of vegetable-tanned leather that matches Hults Bruk's premium axe sheaths and other axe accessories. It is 40mm wide and has a sturdy buckle with an antique brass finish that is free from chrome, nickel and lead. You can unscrew the buckle from the strap and shorten the belt to any length (don't forget to fasten the seam if you do this). The belt is made in Sweden using Swedish cow hides and it is manufactured with the greatest care for the animals and the environment. The leather is vegetable tanned full grain leather for the best possible durability and the natural treatment means that it will age beautifully when worn.



Ref. no.	Model	Length	Unit Price
840797	LBHB-95	95cm	56.95
840798	LBHB-115	115cm	59.33

TREKKER'S LITTLE HELPER FORSBERG

Versatile outdoor accessory made from genuine leather and impregnated on both sides. Perfect as a seat pad, to help start and move a fire, and as protection when carving and processing wood. Features holes and leather strap for easier fastening onto a backpack.



Ref. no.	Model	Length	Width	Unit Price
840791	FORSBERG 32x22	320mm	220mm	33.68

GRINDING STONE AXE

Grinding stone is designed to give a steady grip, protecting hands and fingers from cutting injuries. The stone has a coarse grit grain size of 180, fine grit grain size of 600. Includes protective genuine leather case for long life span. Grinding with water is recommended.



Ref. no.	Model	Length	Width	Height	Unit Price
840792	GS 600/180	75mm	75mm	25mm	67.43

Hultafors Premium Axes

All Hultafors premium axes are hand-forged and made from Swedish axe steel in a foundry that has been in operation since 1697. The axe head is struck multiple times thereby increasing its density and resulting in a more durable axe. The American hickory handle is treated with linseed oil and each axe comes with a traditional leather protective sheath (replacement sheaths and handles are available).

Each axe has its own box and comes with a detailed user manual. Due to the quality and craftsmanship involved, Hultafors offer a full lifetime warranty on all premium axes.



Packed in 1-packs unless otherwise stated.

ÅGELSJÖN MINI HATCHET

Small hatchet suitable for hiking in the woods or for tasks around the camp site. Easy to pack in a backpack or attach to a belt. Weight: 775g.



Ref. no.	Model	Handle Length	Unit Price
841760	Ågelsjön 0.5	235mm/9"	156.47
840766	Spare Sheath	-	48.62
842760	Spare Handle	235mm/9"	39.27

HULTÅN HATCHET

Versatile and lightweight hatchet suitable for most outdoor tasks. Weight: 805g.



Ref. no.	Model	Handle Length	Unit Price
841701	Hultån 0.5	375mm/16"	165.13
840766	Spare Sheath	-	48.62
842701	Spare Handle	375mm/16"	39.87

EKELUND HUNTING AXE

Classic hunting axe featuring a ground neck. Ideal for forestry and hunting. Weight: 1210g.



Ref. no.	Model	Handle Length	Unit Price
841710	Ekelund 0.85	500mm/20"	190.88
840716	Spare Sheath	-	51.01
842710	Spare Handle	500mm/20"	42.99

QVARFOT FELLING AXE

Efficient forester's axe, suitable for small scale forestry. Weight: 1260g.



Ref. no.	Model	Handle Length	Unit Price
841720	Qvarfot 0.85	650mm/26"	182.27
840716	Spare Sheath	-	51.01
842720	Spare Handle	650mm/26"	50.38

STÅLBERG CARPENTER'S AXE

Axe with straight handle and finger notch in the axe head, allowing a grip straight above the centre of the cutting edge, ideal for precise work. Weight: 1225g.



Ref. no.	Model	Handle Length	Unit Price
841730	Stålberg 0.8	500mm/20"	182.27
840736	Spare Sheath	-	49.91
842730	Spare Handle	500mm/20"	42.99

HULT SPLITTING AXE

Solid splitting axe, for heavier duties such as splitting logs and wood. Weight: 2020g.



Ref. no.	Model	Handle Length	Unit Price
841740	Hult 1.5	750mm/30"	208.63
840746	Spare Sheath	-	48.62
842740	Spare Handle	750mm/30"	64.05

WETTERHALL THROWING AXE

Distinctive double bit axe, primarily used as a throwing axe. Weight: 2280g.



Ref. no.	Model	Handle Length	Unit Price
841750	Wetterhall 1.6	760mm/30"	538.28
840756	Spare Sheath	-	59.92
842750	Spare Handle	760mm/30"	68.86

ÅBY FOREST AXE

Ideal forest companion with straighter edge and Scandinavian grind. Weight: 1015g.



Ref. no.	Model	Handle Length	Unit Price
841770	Åby 0.7	610mm/24"	251.65
840776	Spare Sheath	-	49.91
842770	Spare Handle	610mm/24"	46.53

ARVIKA 5 STAR AXE



Packed in 4-packs.

Ref. no.	Model	Handle Length	Weight	Unit Price
840511	8F-2.0 800/32"	800mm/32"	2750g	264.18




Large felling axe designed for competition and serious chopping. The design of the head is inspired by Australian Racing Pattern Axes, polished and heavy with a convex ground edge. The long and curved handle in American hickory provides maximum speed and force when felling trees.

SHARPEN, STORE AND USE

Sharpening. Use a convex edge for applications such as delimbing, felling and splitting (1). Use a straight edge for hacking (2). An axe that has been sharpened at an angle is dangerous to use as it can easily slip! (3). A concave edge entails a high risk of the axe splintering (4). You can sharpen your axe edge using sandpaper or a bench grinder. The safest way to sharpen is using a wet grinder, but sometimes it may be necessary to first grind out burrs or other damage using a different method, e.g. a bench grinder.

NB: It is very important that you take care when sharpening and ensure that the axe is not affected by heat! If any part of the axe turns a blue colour, it signals that its tempered zone has disappeared in that part of the axe and it is no longer resistant to wear.



Storage. Never store your axe in excessively dry places, e.g. in boiler rooms or leaning against a heater. You then risk the shaft drying out and the axe head coming loose whilst being used.

Use. Never strike the neck of the axe with another tool. Never use the axe as a sledge. Only sledge axes can withstand being used as a sledge.



RE-HANDLE.

Re-Handle. If an axe, sledge or hammer breaks, it is almost always the shaft/handle that is the culprit. A poor quality or damaged shaft is a major safety risk. However, if the head is still in good condition, you can re-use your tool by fitting a new shaft. When fitting a new shaft to your tool, it's important to ensure that the shaft is dry. If it's not and dries after the head has been fitted, there is a danger that the head will come loose. This also applies to the wedge if you fit a new shaft using a wooden wedge.



Shaft Key:

A = Ash
S = Steel
G = Fibreglass
H = Hickory
B = Beech

Model Designation Key

BHS **295** - **19** x **11**
↓ ↓ ↓
Model Length Eye

To fit a new shaft, do the following:

1. Cut off the existing shaft just below the head.
2. Drill a number of holes in the eye.
3. Tap out what is left and clean the eye.
4. Press and tap the head onto the new shaft, firmly but carefully. Cut off the protruding part of the shaft.
5. Fit the steel wedge so that the end of the shaft fills the eye. If the steel wedge is not sufficient, you should fit a wooden wedge before the steel wedge. You can make this by cutting a wedge from a dry piece of hard timber. Then split the end of the shaft using a chisel. Apply some wood glue, tap in the wooden wedge and then cut off the excess.
6. Tap the steel wedge out so that it locks the wooden wedge in position. Then apply oil to the end of the shaft to protect it against moisture.

Saws

SHORT HANDSAW HBX-14-11-S

Professional short handsaw featuring ergonomic handle with rubber grip, 1mm thick blade made from C75 quality steel, unique 3-phase grinding, robust blade protection and environmentally-friendly wax-based powder coating. Packed in 2-packs.



Ref. no.	Model	Blade Length	Teeth/Inch	Unit Price
590750	HBX-14-11-S	350mm/14"	11 tpi	56.80

SHORT HANDSAW HBX-14-11-V

Professional floorboard saw featuring ergonomic handle with rubber grip, 1mm thick blade made from C75 quality steel, unique 3-phase grinding, robust blade protection and environmentally-friendly wax-based powder coating. Packed in 2-packs.



Ref. no.	Model	Blade Length	Teeth/Inch	Unit Price
590730	HBX-14-11-V	350mm/14"	11 tpi	56.80

SHORT HANDSAW HBX-14-11-T

Professional tenon saw with aluminium-reinforced profile, featuring ergonomic handle with rubber grip, 1mm thick blade made from C75 quality steel, unique 3-phase grinding, robust blade protection and environmentally-friendly wax-based powder coating. Packed in 2-packs.



Ref. no.	Model	Blade Length	Teeth/Inch	Unit Price
590740	HBX-14-11-T	350mm/14"	11 tpi	65.27

HANDSAW HBX

Hultafors' unique teeth with 3-phase grinding combine efficiency and a good bite with nice straight cuts without chipping. The 1mm thick steel blade with a unique eco-friendly wax coating gives less friction and power-consuming side vibrations.



Ref. no.	Model	Blade Length	Teeth/Inch	Pack Qty	Unit Price
590703	HBX-22-7	550mm	7 tpi	4	49.18
590903	HBX-22-9	550mm	9 tpi	4	49.18
591103	HBX-22-11	550mm	11 tpi	4	49.18
Counter Display Packaging (10 Pack)					
590904	HBX-22-9	550mm	9 tpi	10	49.18
Floor Display Packaging (24 Pack)					
590905	HBX-22-9	550mm	9 tpi	24	49.18

HACKSAW HMX-12

Quality hacksaw with a stiff and compact cast aluminium frame that gives a very high blade tension. Features an ergonomic handle with a rubber grip and spring-loaded blade tensioner. Packed in 2-packs.



Ref. no.	Model	Blade Length	Teeth/Inch	Unit Price
591300	HMX-12	300mm/12"	24 tpi	40.90

HACKSAW HMS-12

Hacksaw with a steel frame that promotes mobility and minimises weight, without compromising blade tension. Features an ergonomic aluminium handle and spring-loaded blade tensioner. Packed in 2-packs.



Ref. no.	Model	Blade Length	Teeth/Inch	Unit Price
591310	HMS-12	300mm/12"	24 tpi	27.55

HACKSAW HMM-6

Efficient, compact hacksaw with a steel frame and ergonomic aluminium handle. Packed in 2-packs.



Ref. no.	Model	Blade Length	Teeth/Inch	Unit Price
591320	HMM-6	150mm/6"	32 tpi	22.95

HACKSAW HMW-6

Small, flexible hacksaw with wire frame.



Ref. no.	Model	Blade Length	Teeth/Inch	Pack Qty	Unit Price
591330	HMW-6	150mm/6"	32 tpi	2	6.70

BOW SAW BSL

Bow saw featuring saw blade made from C75 steel with hardened teeth and a handle made from PP and rubber.



Ref. no.	Model	Blade Length	Pack Qty	Unit Price
590831	BSL-12	300mm/12"	1	30.32
590801	BSL-21	533mm/21"	1	33.08
590811	BSL-24	610mm/24"	1	34.44
590821	BSL-30	762mm/30"	1	35.86

JAPAN SAW PSX

Traditional Ryoba saw with a 0.5mm thin blade, providing high flexibility and precision whilst using minimal force. Features 2 different grindings: rip and cross cut, hardened teeth, anti-rust treated blade and traditional wooden handle.



Ref. no.	Model	Blade Length	Teeth/Inch	Pack Qty	Unit Price
591270	PSX	300mm/12"	24 tpi	2	62.05

JAB SAW JS

Ideal for cutting plasterboard. Features 1.6mm anti-rust treated blade made from SK5 steel with 3-phase grinding and graded scale printed on the blade, ergonomic PP handle with hole in handle to attach security device. The saw is delivered with a robust holster for safe usage and increased mobility.



Ref. no.	Model	Blade Length	Teeth/Inch	Pack Qty	Unit Price
591260	JS	125mm/5"	8 tpi	8	22.47

CONCRETE SAW HC-28-34-C

Ideal for cutting porous stone-based material, featuring a 1.6mm C75 steel black-coated blade with 34 carbide teeth for efficiency and a long life span. Easy to clean wooden handle.




Ref. no.	Model	Blade Length	Carbide Teeth	Pack Qty	Unit Price
590760	HC-28-34-C	700mm/28"	34 pcs	2	87.27

HANDSAW HBS - ADVERTISING PRINT

Promote your business with a logo or image digitally printed on the HBS saw blade.

Print area size: 200mm x 58mm.

Minimum order: 90pcs



Ref. no.	Model	Blade Length	Teeth/Inch	Pack Qty	Unit Price
590726X2	ADV HBS-22-7 RE	550mm	7 tpi	10	25.11
590726X3	ADV HBS-22-7 RE	550mm	7 tpi	45	25.11

Spare Saw Blades

BOW SAW BLADE

Multi-purpose spare saw blade made from high quality C75 steel. Features hardened teeth for optimal performance when cutting both green and dried wood. Blade is also anti-rust protected.

Ref. no.	Model	Blade Length	Pack Qty	Unit Price
591001	BSL-12	300mm/12"	1	8.30
591021	BSL-21	533mm/21"	1	11.06
591041	BSL-24	610mm/24"	1	12.17
591061	BSL-30	762mm/30"	1	13.29

HACKSAW BLADE HMX-12-18

Made in Bi-metal for high performance and durability.

Ref. no.	Model	Blade Length	Teeth/Inch	Pack Qty	Unit Price
591340	HM-12-18x2	300mm/12"	18 tpi	2	9.99

HACKSAW BLADE HMS-12-24

Made in Bi-metal for high performance and durability.

Ref. no.	Model	Blade Length	Teeth/Inch	Pack Qty	Unit Price
591350	HM-12-24x2	300mm/12"	24 tpi	2	9.99

HACKSAW BLADE HM-6-32

Made in SK5 steel.

Ref. no.	Model	Blade Length	Teeth/Inch	Pack Qty	Unit Price
591360	HM-6-32x5	150mm/6"	32 tpi	5	6.70

SAW BLADE BX

The BX saw blade is available with three tooth sizes: 7, 9, 11 teeth/inch, for various applications.



Ref. no.	Model	Blade Length	Teeth/Inch	Pack Qty	Unit Price
590713	BX-22-7	550mm	7 tpi	4	24.82
590913	BX-22-9	550mm	9 tpi	4	24.82
591113	BX-22-11	550mm	11 tpi	4	23.76



Clamps

Packed in 2-packs unless otherwise stated.

SCREW CLAMP CFP, PIVOTED HANDLE

Steel rail forged in one piece, profiled, nickel and chrome plated. Pivoting handle for increased clamping pressure. Slim front anvil for increased access in narrow places. Strong flat threaded, black phosphate screw with tilted pressure plate. Clamping force of up to 700kg.



Ref. no.	Model	Clamping Capacity	Throat Depth	Rail Dim.	Weight	Unit Price
522203	CFP 20	200mm	100mm	19.5 x 9.5mm	1050g	52.05
522253	CFP 25	250mm	120mm	22 x 10.5mm	1400g	61.69
522303	CFP 30	300mm	140mm	25 x 12mm	1950g	75.65
522403	CFP 40	400mm	175mm	27 x 13mm	2600g	97.04

QUICK CLAMP QCX

Compact one-hand clamp made of fibreglass-reinforced nylon. Steel rail forged in one piece, with a slim front jaw for increased access in tight places. Pressure plates with tracked rubber pads to protect the surface and provide increased clamping force. Design with focus on compact and slim operation.

Clamping force of up to 120kg.

Throat Depth: 95mm

Rail Dim. 20 x 6mm



Ref. no.	Model	Clamping Capacity	Weight	Unit Price
521153	QCX 15	150mm	650g	43.86
521303	QCX 30	300mm	800g	47.51
521453	QCX 45	450mm	920g	52.05
521603	QCX 60	600mm	1050g	57.07

HAMMERS

Pick up one of our hammers and you'll feel it at once: it just feels right in your hand. Once you've worked with it for a while, we promise that you'll see what makes it stand out from the crowd. Versatile yet powerful and perfectly designed for your work.



CARPENTER'S HAMMER TR

An ergonomically designed hammer, forged in one piece for increased durability with a vibration damping urethane plug. Thin, strong claw that affords easy access without leaving marks. The claw opening and angle give the best possible grip on the nail. Ergonomically designed handle with clear end stop and a secure grip.

- Vibration damping urethane plug.
- Right angle and shape of striking face.
- Steel shaft with I-profile for increased durability.
- Thin, strong claw that affords easy access without leaving marks. In addition, the claw is rounded to prevent it tearing your trousers.
- Straight claw for better access and a longer shaft for more power for more demanding applications.
- Ergonomically designed handle with a clear end stop.



Ref. no.	Model	Weight	Handle	Pack Qty	Unit Price
820220	TR 16 XL	740g	X-Large	2	64.87
820240	TR 20 XL	810g	X-Large	2	66.64



DEAD BLOW HAMMER DB

With the dead blow hammer you can count on all the power you need, but with reduced recoil and without sparks. The dead blow function uses steel bearings to cushion the shock and reduce recoil. The design features soft faces that minimises the risk of leaving marks on the work piece, and a flat area on the head that allows upright storage.

- Soft faces, easy on the work piece.
- Dead blow function uses steel bearings to cushion the shock and reduce recoil.
- Ergonomic handle of fibreglass and grip of Santoprene rubber.
- Non-sparking.
- Flat area on head allows upright storage.



Ref. no.	Model	Weight	Handle	Pack Qty	Unit Price
823411	DB 600	570g	Fibreglass	2	76.63
823412	DB 1200	1160g	Fibreglass	2	112.04
823413	DB 1600	1650g	Fibreglass	2	153.45
823414	DB 5000	5700g	Fibreglass	2	420.70



ELECTRICIAN'S HAMMER EL

A versatile hammer with U-shaped striking face. The U-shape makes it possible to work close to ceilings and corners without leaving marks on surrounding surfaces. Ideal for working in confined spaces.

- The U-shaped head makes it possible to work close to ceilings and corners.
- The straight claw makes it easy to get at and remove nails and clamps in confined places.
- Ergonomically designed handle for good grip along the entire handle, regardless of power or precision.



Ref. no.	Model	Weight	Handle	Pack Qty	Unit Price
820040	EL	550g	Steel	2	70.22

NAIL PULLER

Made of steel.



Ref. no.	Model	Weight	Pack Qty	Unit Price
820030	ATLE	600g	5	68.28

Hammers

CARPENTER'S HAMMER TS

Thin, rounded strong claw, steel handle.
Packed in 2-packs.



Ref. no.	Model	Weight	Handle	Unit Price
820006	TS 16	675g	Steel	37.68
820008	TS 20	800g	Steel	39.59

CARPENTER'S HAMMER TC

Rounded Claw. Packed in 2-packs.



Ref. no.	Model	Weight	Handle	Unit Price
820110	TC 16 L	720g	Large	57.56
820120	TC 16 XL	720g	X-Large	57.56
820130	TC 20 L	795g	Large	62.91
820140	TC 20 XL	795g	X-Large	62.91

NON-REBOUND HAMMER STFS

Striking head filled with damping steel balls, steel shaft with ergonomic handle.
Packed in 2-packs.



Ref. no.	Model	Weight	Handle	Unit Price
823312	STFS 30	595g	Steel	78.69
823314	STFS 40	800g	Steel	96.57
823315	STFS 50	1145g	Steel	118.01
823316	STFS 60	1625g	Steel	182.22

REPLACEABLE NYLON STRIKERS

For non-rebound hammer STFS.
Packed in 2-packs.

Ref. no.	Model	Replaceable nylon striker for model	Unit Price
827547	SF 30 NYLON	823312	13.32
827549	SF 40 NYLON	823314	18.51
827551	SF 50 NYLON	823315	22.69
827552	SF 60 NYLON	823316	35.82

T-BLOCK COMBI HAMMER C

Steel handle, shock dampening head.
Packed in 2-packs.



Ref. no.	Model	Weight	Handle	Unit Price
821259	C 250 S	550g	Steel	46.79
821262	C 375 M	650g	Steel	58.84
821264	C 600 L	900g	Steel	66.99

T-BLOCK CROSS PEIN HAMMER P

Steel Handle, shock dampening head.
Packed in 2-packs.



Ref. no.	Model	Weight	Handle	Unit Price
821159	P 250 S	550g	Steel	42.67
821162	P 375 M	650g	Steel	56.71
821164	P 600 L	900g	Steel	64.79

T-BLOCK BALL PEIN HAMMER K

Steel Handle, shock dampening head.
Packed in 2-packs.



Ref. no.	Model	Weight	Handle	Unit Price
821059	K 250 S	550g	Steel	42.67
821062	K 375 M	650g	Steel	56.71
821064	K 600 L	900g	Steel	64.79

COPPER HAMMER CU

Copper head for anti-sparking.
Packed in 2-packs.



Ref. no.	Model	Weight	Handle	Unit Price
823031	CU 300	400g	Fibreglass	98.86
823032	CU 1000	1300g	Fibreglass	123.24
823034	CU 2000	2400g	Fibreglass	189.66
823035	CU 3000	4100g	Fibreglass	226.75
823036	CU 4000	5200g	Fibreglass	335.14
823037	CU 5000	5400g	Fibreglass	434.04

BRICKLAYER'S HAMMER TB

Right angle and shape of chisel for safe splitting of bricks. Tempered square striking face and a strong ground chisel with a notch for pulling out nails.
Packed in 1-packs.



Ref. no.	Model	Weight	Handle	Unit Price
822281	TB 600	900g	Steel	73.98

CLUB HAMMER ME

Blasted and clear-lacquered ironwork, with tempered and plane-ground striking face on both sides. Steel shaft with rubber grip.
Packed in 2-packs.



Ref. no.	Model	Weight	Handle	Unit Price
822112	MER 1200	1700g	Steel	71.30



Fully forged precision.

Claw Hammer – TR EL



A smaller and lighter hammer developed for precision and work in tight spaces. Forged in one piece for maximum strength and durability.

The U-shaped striking face makes it possible to work close to ceilings and corners without leaving marks on surrounding surfaces. This makes the hammer ideal for electricians or for putting up mouldings and skirting boards or for working with fine carpentry. A straight claw also makes it easier in limited spaces as you can hold the hammer at a smaller angle and access the nail almost straight from above.

The ergonomically designed handle with a clear end stop provides a secure grip and has a hole for lanyards. Markings in the handle at 200 and 250mm help you to put cable clamps at an even distance.

- Small head with a U-shaped striking surface optimised for work near ceilings and corners.
- Forged in one piece for maximum strength and durability.
- Thin, strong claw for good access.
- Vibration-damping urethane plug.

Ref. no.	Model	Weight	Handle	Unit Price
820050	TR EL	621g	Steel	94.49

Demolish with quality.

WITH THE HULTAFORS WIDE RANGE OF WRECKING BARS

When working on ripping out windows or room furnishings, it is important that you choose a tool that is as easy to handle as possible. In such instances, a wrecking bar is exactly what you need. We produce a range of different bars, including levers, crowbars/wrecking bars and pry bars, in several different designs and materials. You will always be able to find one that satisfies your requirements.

THE AWARD-WINNING ADJUSTABLE WRECKING BAR

Facilitate your work, step by step, with this advanced wrecking bar made of high-quality steel. It's adjustable in nine steps to ensure an optimum working position which allows you not only to wreck and pull out nails, but also easily break up wooden floors, lift doors or adjust construction framework.

WRECKING BAR STEEL ADJUSTABLE 209 SB

Adjustable claw in nine steps for best working position.

Thanks to its gear ring, it can handle the same stresses as a standard wrecking bar.

Made of high quality steel.

Optimised for pulling out nails.

The curved section at the handle makes space for the hand and minimises the risk of crushing damage.

Secure strap function.

Ergonomic rubber-clad handle.

Wide, ground contact surfaces and thin ends make it easy to use and reduce the risk of leaving marks.



reddot design award
best of the best 2012

Wrecking bar manufactured in high quality steel with ergonomic rubber-clad handle. Articulated claw, adjustable to nine different positions. Wide, ground contact surfaces and thin ends make it easy to use and reduce the risk of leaving marks.

- Adjustable claw in nine steps for best working position.
- The curved section at the chisel makes space for the hand and minimises the risk of crushing damage.
- Optimised claw for pulling out nails.
- Secure strap function.

Ref. no.	Model	Length	Weight	Pack Qty	Unit Price
824115	209 SB/25"	640mm	1730g	2	147.94



Small, but mighty!

Mini Steel Wrecking Bar 108



A small useful steel wrecking bar of 7.5" (190mm) which can be used to pull small nails, strips of wood, or to open cans.

Also available in a counter top display case with header card, containing 20 wrecking bars.

Ref. no.	Model	Length	Weight	Pack Qty	Unit Price
827023	108 Mini	190mm	77g	5	8.14
827026	108 Mini Display	190mm	77g	20	8.14



Wrecking Bars

STEEL WRECKING BAR 108



Ref. no.	Model	Length	Weight	Pack Qty	Unit Price
827013	108/15"	380mm	650g	2	14.90
827043	108/21"	530mm	860g	2	23.71

STEEL WRECKING BAR 109



Ref. no.	Model	Length	Weight	Pack Qty	Unit Price
824009	109/12"	300mm	450g	2	54.07
824010	109/20"	500mm	1100g	2	59.99
824011	109/25"	625mm	1450g	2	72.14
824012	109/28"	710mm	1950g	2	89.78
824013	109/36"	900mm	2850g	2	125.40

STEEL WRECKING BAR 109 TD



Ref. no.	Model	Length	Weight	Pack Qty	Unit Price
824021	109/25"TD	640mm	1480g	2	98.17

ALUMINIUM BENDING BAR



Ref. no.	Model	Length	Weight	Pack Qty	Unit Price
841020	H 480 B	480mm	500g	2	52.38

ALUMINIUM WRECKING BAR



Ref. no.	Model	Length	Weight	Pack Qty	Unit Price
841022	H 700 B	680mm	700g	2	51.90

ALUMINIUM WRECKING BAR



Ref. no.	Model	Length	Weight	Pack Qty	Unit Price
841010	F 430	430mm	400g	2	51.57

Pry Bars

STEEL PINCH BAR 207



Ref. no.	Model	Length	Weight	Pack Qty	Unit Price
824031	207/400	400mm	580g	2	21.06
824032	207/500	500mm	760g	2	26.08
824033	207/600	600mm	926g	2	31.10

ALUMINIUM PRY BAR WITH STEEL POINT



Ref. no.	Model	Length	Weight	Pack Qty	Unit Price
841014	A 1500 SR	1500mm	3200g	1	383.30

ALUMINIUM PRY BAR WITH PINCH POINT



Ref. no.	Model	Length	Weight	Pack Qty	Unit Price
841024	A 1500 SB	1500mm	3200g	1	345.03

ALUMINIUM PRY BAR



Ref. no.	Model	Length	Weight	Pack Qty	Unit Price
841034	A 1200 SA	1200mm	1950g	1	316.69
841044	A 1500 SA	1500mm	2350g	1	330.12

ALUMINIUM PRY BAR



Ref. no.	Model	Length	Weight	Pack Qty	Unit Price
841002	B 1500	1500mm	2800g	1	168.86

ALUMINIUM PRY BAR WITH STEEL POINT



Ref. no.	Model	Length	Weight	Pack Qty	Unit Price
841001	B 1200 S	1200mm	2700g	1	193.24
841003	B 1500 S	1500mm	3600g	1	255.12

PRY BAR ALUMINIUM, DEMOLITION



Ref. no.	Model	Length	Weight	Pack Qty	Unit Price
841054	A 1500 SK	1500mm	3400g	1	290.86

WORLD CLASS ACCURACY

FISCO **TAPES MADE IN THE UK BY FISCO**

Setting higher standards in measuring tools, Fisco's high-tech manufacturing facility in South East England today covers over 60,000 square feet and produces over 1,500 high quality measuring instruments every hour.

Innovative product design and sophisticated manufacturing techniques are achieved through the active association of the product development team with specialist designers and engineers. This, combined with the use of high quality materials and rigorous inspection at all stages of manufacture produces a range of tapes with an accuracy that is second to none.

Quality Assurance

Fisco is certified under the Intertek 9001:2015 and 14001:2015 Quality Assurance Scheme.

High Precision Printing

Fisco is at the cutting edge of tape technology and has developed the world's only high precision ink-jet tape printer which guarantees precise alignment and the highest standards of measuring accuracy. The matt polyester surface reduces reflection making a visible difference when compared to many competing products. Metric tapes are



produced to accuracy levels laid down in the Measuring Instruments Directive 2014/32/EU, marked with the stipulated CE markings and appropriate accuracy levels. Metric/Imperial tapes are produced to the same level of accuracy levels.

Calibration Service

On Pacer PL30M and PL50M metric long tapes a calibration service is offered, giving the customer the assurance of the absolute precision of their own individual tapes. Calibrated tapes are carefully checked against a precision master scale and any deviation is noted. One calibrated tape can be used as a benchmark to ensure the maintained accuracy of other tapes. All calibrated tapes are certified EC Class I, and are supplied with 'A' endings. Calibration can be varied to suit individual needs. Tapes are initially calibrated for their total length. However, additional sections of the tape can be calibrated to determine the exact error of any length of the tape, according to the requirements of individual customers.



CHECK YOUR TAPES PRECISION

Steel Tape Measurement Accuracy

Measurement accuracy is a very important feature of a tape measure. It is measured and stated in the form of a tolerance class. We classify measuring tapes in EC Class I and EC Class II.

Steel Tape Measure Production Tolerances

Total length (m)	Class I (mm)	Class II (mm)
2	±0.3	±0.7
3	±0.4	±0.9
5	±0.6	±1.3
8	±0.9	±1.9
10	±1.1	±2.3
15	±1.6	±3.3
20	±2.1	±4.3
25	±2.6	±5.3
30	±3.1	±6.3
50	±5.1	±10.3
100	±10.1	±20.3

Accuracy tolerance excluding end hook.

If the hook or ring forms part of the measurement an additional allowance of ± 0.1mm (Class I) 0.2mm (Class II) is permitted.

Changing Lengths

Often we experience significant temperature differences between summer and winter, differences that affect length of a steel tape measure. All tolerances quoted here apply at 20°C, so it is important to be aware of the measurement deviations for various temperatures.

Length Change for a Steel Tape Measure for Temperature Deviations from 20°C

ΔT	10°C	20°C	30°C
Length (m)	Length Change (±mm)		
2	0.2	0.5	0.7
3	0.4	0.7	1.1
5	0.6	1.2	1.9
8	1.0	2.0	3.0
10	1.2	2.5	3.7
20	2.5	5.0	7.4
30	3.7	7.4	11.2
50	6.2	12.4	18.6
100	12.4	24.8	37.2

Length change ΔL DL is calculated using formula $\Delta L = L \times \Delta T \times \alpha$
 L = tape measure length, ΔT = temperature difference from 20°C.
 α = coefficient of linear expansion (1.24×10^{-5}).


Example: If the outdoor temperature is -10°C the difference is -30°C, and the change will thereby be -3.0mm for an 8m long steel tape.

BLADE VARIATIONS

SHORT TAPES

Matt Coat

Carbon spring steel, hardened, tempered and concaved to enable long extension. Polyester coated for improved abrasive resistance.



LONG TAPES


Matt Coat

Tough, white polyester coated steel tape. Printing is protected by an additional transparent polyester top coating. Resistant to commonly used solvents and abrasion. Tapes are accurate within the accuracy class marked on the tape, at a reference temperature of 20°C, when a tractive force of 50N is applied. This applies at all lengths to be measured.




Tough Coat

Tough, yellow polyester coated steel tape, with an extra thick nylon coating for added protection. Resistant to common chemicals, solvents, abrasion and breakage. Withstands bending, kinking and crushing. Recommended for heavy duty measuring work. Tapes are accurate within the accuracy class marked on the tape, at a reference temperature of 20°C, when a tractive force of 50N is applied. This applies at all lengths to be measured.



Fibreglass

Highly flexible tape, much lighter than steel. Constructed from multiple unidirectional glass-fibre strands embedded in flexible PVC. The tape also incorporates an extra thick PVC coating to offer superior resistance to scuffing and marking. Fibreflex tape is electronically non-conductive when dry, corrosion proof and resistant to breakage and common chemicals. Tapes are accurate within the accuracy class marked on the tape, at a reference temperature of 20°C, when a tractive force of 20N is applied. This applies at all lengths to be measured.



THE NEXT GENERATION

The PR & SL Short Tapes.

Experience a new dimension of reliable precision and ease of use. Our hard-wearing PR short tapes feature high impact cases of ergonomic design with rubber coating for optimum grip. Pull the steel tape and you'll feel the high-quality precision mechanism. Smooth and silent, distinct brake and gentle return action.

Alternatively, if you prefer things that come in small packages, then our SL short tape is the one for you. A high-impact slim case which fits perfectly in your pocket, combines hard-wearing reliability with ease of use.



PR MEASURING TAPE

Tough tape with ergonomic grip, rubber coated button and brake pad area, with a high impact case made of ABS plastic. Yellow, wear resistant blade graduated using highly accurate ink-jet print. Smooth blade return action and bump stop with anti-wear function.

- Type approved as per EC Class I.
- Metal hole hanger for strap enabling safe work at heights.
- Strong stainless steel end-hook with reinforcement plate.
- Distinct brake causing no blade movement.
- The blade can be replaced and is available as a spare.



Ref. no.	Model	Length	Class	Blade Width	Pack Qty	Unit Price
350103	PR3M	3m	I	19mm	2	18.80
350107	PR3M	3m	I	19mm	7	18.80
350123	PR3ME	3m/10ft	I	19mm	2	18.80
350203	PR5M	5m	I	19mm	2	26.95
350207	PR5M	5m	I	19mm	7	26.95
350223	PR5ME	5m/16ft	I	19mm	2	26.95
350303	PR8M	8m	I	25mm	2	32.71
350304	PR8M	8m	I	25mm	4	32.71
350323	PR8ME	8m/26ft	I	25mm	2	32.71

SL MEASURING TAPE

Slim model with a high impact case made of ABS plastic. Yellow, wear resistant blade graduated using ink-jet print. Smooth blade return action and bump stop with anti-wear function.

- Type approved as per EC Class I.
- Metal hole hanger for strap enabling safe work at heights.
- Strong stainless steel end-hook with reinforcement plate.
- Distinct brake causing no blade movement.
- The blade can be replaced and is available as a spare.



Ref. no.	Model	Length	Class	Blade Width	Pack Qty	Unit Price
351203	SL5M	5m	I	19mm	2	18.62
351207	SL5M	5m	I	19mm	7	18.62
351223	SL5ME	5m/16ft	I	19mm	2	18.62
351233	SL5ME	5m/16ft	I	19mm	8	18.62

Better rust resistance in tough conditions.

A measuring tape with a polyester-coated stainless steel blade and a stainless steel spring. Made for work in wet environments.

SHORT MEASURING TAPE PRSS – STAINLESS STEEL

The blade is graduated using highly accurate inkjet printing to give you optimal contrast and precision when measuring.

The casing is made from high impact ABS plastic, rubber-coated for a better grip and impact resistance. Features an ergonomic grip and rubber-coated brake button, plus a smooth blade return action and bump stop with an anti-wear function that protects the blade and end-hook.

The 4m model has a slim metal belt clip. The 6m model has a detachable belt clip with a quick-release function that makes it easier to release the tape with one hand.

- Stainless steel blade and spring.
- Type approved as per EC Class I.
- Metal clip for attaching a lanyard when working at heights.
- Strong stainless steel end-hook with a reinforcement plate.
- Distinct brake causing no blade movement.
- The end-hook adjusts itself for internal measuring.



Ref. no.	Model	Length	Class	Blade Width	Pack Qty	Unit Price
350403	PRSS 4M	4m	I	19mm	2	33.75
350503	PRSS 6M	6m	I	25mm	2	52.83

Short Tapes


All short tapes have Matt Coat steel blades.

TRI LOK MEASURING TAPE TL/TV



Ref. no.	Model	Length	Class	Blade Width	Pack Qty	Unit Price
358113	TL5ME	5m/16ft	I	19mm	2	20.16
358243	TL5ME	5m/16ft	I	19mm	8	20.16
358133	TL5M	5m	I	19mm	2	20.16
358413	TV5ME	5m/16ft	I	25mm	2	24.42
358433	TV5M	5m	I	25mm	2	24.42
358213	TL8ME	8m/26ft	I	25mm	2	28.11
358233	TL8M	8m	I	25mm	2	28.11

UNI MATIC MEASURING TAPE UM



Ref. no.	Model	Length	Class	Blade Width	Pack Qty	Unit Price
369013	UM3ME	3m/10ft	II	16mm	2	11.11
369003	UM3M	3m	II	16mm	2	11.12
369113	UM5ME	5m/16ft	II	16mm	2	14.51
369103	UM5M	5m	II	16mm	2	14.52

TUF LOK MEASURING TAPE TK



Ref. no.	Model	Length	Class	Blade Width	Pack Qty	Unit Price
367113	TK5ME	5m/16ft	II	19mm	2	11.66
367103	TK5M	5m	II	19mm	2	11.66
367213	TK8ME	8m/26ft	II	25mm	2	17.54
367203	TK8M	8m	II	25mm	2	17.54

Own Logo Tapes

TUF AD MEASURING TAPE TK



Ref. no.	Model	Length	Class	Blade Width	Pack Qty	Unit Price
ADATK50126	Tuf Ad 5ME	5m/16ft	II	19mm	30	11.40
ADATK80126	Tuf Ad 8ME	8m/26ft	II	25mm	12	17.21

Minimum of 4 boxes per size per order

BIG T


Innovation at its very best. Hundreds of hours of research amongst builders, carpenters and many other professionals helped to develop the Big T measuring tape which sets new standards in design and technology.

7 BIG BENEFITS

Probably the world's most advanced measuring tape. Developed based on hundreds of hours of detailed on-site research, looking at every aspect of how professionals measure. The result is a tape with a multitude of user benefits designed for measuring more quickly, easily and reliably.

- Tough rubber protection with patented shock absorber.
- Ergonomic case shape feels moulded to your hand during use.
- Superior brake control with maximum holding power.
- Clear-view end-hook allows blade to be read right to the tip.
- Rubber grip tips locates and holds the blade tip firmly.
- Easy inside measurements make add-ons easy.
- Quick-release belt holster holds tape securely and is easy to insert and release.

30cc/60cc SCALE



Models 356123 and 356223 only:

The back of the blade is marked with CC-measurement for 30, 60 and 45cm to assist with setting out walls (shown above).



BIG T MEASURING TAPE BT

Ref. no.	Model	Length	Class	Blade Width	Pack Qty	Unit Price
356113	BT5ME	5m/16ft	I	19mm	2	30.15
356133	BT5ME	5m/16ft	I	19mm	5	30.15
356123	BT5M	5m	I	19mm	2	30.15
356213	BT8ME	8m/26ft	I	25mm	2	36.53
356233	BT8ME	8m/26ft	I	25mm	5	36.53
356223	BT8M	8m	I	25mm	2	36.53

BIG T 5.4m

40cm extra to fit regular lumber lengths



SHORT MEASURING TAPE BT 5.4M – STEEL

The BT has an ergonomic brake button placed at the top of the housing, allowing you to operate it with both the thumb and the palm of your hand.

The yellow steel blade is graduated using highly accurate inkjet printing with a matt finish, allowing precise and reflection-free readings. The back of the blade is marked with 30, 45 and 60cm CC measurements for setting out walls. The casing is made of high impact ABS plastic with rubber protection at all impact points.

- A unique belt clip with quick release function allows the tape to easily be released with one hand.
- Ergonomic brake for easy blade locking.
- CC graduation on reverse of blade every 30, 45 and 60cm.
- Easy internal measurement, a fold out bracket makes the housing 100mm long.
- Rubber end-hook for better grip and protection.

Ref. no.	Model	Length	Class	Blade Width	Pack Qty	Unit Price
356303	BT 5.4M	5.4m	I	19mm	2	30.38

TALMETER

EASIER MEASURING & MARKING

The Talmeter allows you to take a measurement and then mark it directly onto your work piece, without even reading off the scale to verify the length. Thanks to the combined measuring and marking edges and a firm brake you can keep your set measurement and securely transfer it to any object, over and over again.



TALMETER MARKING MEASURE

Impact resistant steel tape measure with a 16mm wide blade, graduated in millimetres. ABS plastic case. Combined marking and measurement edges mean that you can quickly and simply measure and mark both internal and external lengths. The tape and extender can be replaced and are available as spare parts.



Ref. no.	Length	Blade Width	Pack Qty	Unit Price
359103	2m	16mm	6	22.00
359203	3m	16mm	6	26.69
359303	6m	25mm	2	65.03

TALMETER REFILL BLADES RB



Ref. no.	Length	Blade Width	Unit Price
359111	2m	16mm	13.22
359211	3m	16mm	17.98

TALMETER EXTENDERS MT-SL/RMT

Individually packed




Ref. no.	Model	Unit Price
359003	MT-SL	5.24
900122	RMT	2.19

TALMETER FEATURES



The number of measurement units that the length comprises can be read from reading the indicators against the scale. However, if it is possible to etch the length directly on the workpiece, actually reading the measurement becomes completely unnecessary.



The fold-out extender is designed to make internal measurements just as easy to take as external measurements.



The combined measurement and marking edges allow you to take your measurement and then transfer that measurement to your workpiece.




Measure internal lengths just as quickly and simply as external lengths.



Use as a compass and draw precise arcs with a single hand.

2M / 3M MODELS ONLY



The stiff, yet flexible tape makes it easy to measure diameters and exact circumferences.


6M MODEL ONLY



A notch on rear edge of the housing allows the attachment of a safety line.



Unique belt clip with a quick release function that allows the marking measure to be released with one hand.



The belt clip attachment is easy to remove.



Button with three functions:

1. Autolock position – tape can be adjusted in and out.
2. Release position – tape retracts into the housing and is easy to pull out.
3. Brake position – the tape is locked.

BRICK-MATE™

The innovative way to set out dry bonds and accurately calculate brick quantities.

Use the Brick-Mate for any bricklaying job - big or small - it will save time, effort and money.

DESIGNED FOR PURPOSE

A specialist tape measure designed specifically to aid professional bricklayers in their work.

- Unique blade design with three scales to calculate brick & block quantities and course heights, along with a conventional metric scale accurate to EC Class I, for general measuring.
- Saves the builder time and money when costing for building work.
- Saves time and effort - no more laying out dry bonds means setting out buildings takes minutes instead of hours.
- Bright ergonomic ABS case for easy on-site visibility.
- Reinforced sliding end-hook ensures a true zero point whether hooking on or butting up.
- Nonreflective blade for easy reading, even in strong sunlight.
- Easy to operate positive lock, minimising blade slip.
- Unique snap-in quick-release belt clip holster.
- Also available as a counter top display unit containing 6 pieces with header card.



BRICK-MATE™ MEASURING TAPE BM

Ref. no.	Model	Length	Class	Blade Width	Pack Qty	Unit Price
352403	BM8M	8m	I	25mm	2	32.38



STAINLESS STEEL BRICK-MATE™

NEW!

Trusted by the trade for over 20 years, the iconic Brick-Mate™ is now also available as a stainless steel version.

- Even more durable and resistant to corrosion.
- Made in Britain using sustainable materials.
- Easy to clean and less likely to clog up with dust and debris when used in the wet.
- Exceptional impact resistance and strength.



BRICK-MATE™ MEASURING TAPE BMSS

Ref. no.	Model	Length	Class	Blade Width	Pack Qty	Unit Price
352423	BMSS8M	8m	I	25mm	4	48.01

SURVEYOR

ADVANCED ERGONOMICS

The outstanding result of five years of in-depth research and development, the Surveyor sets new high standards for professional tapes. Through stages of rigorous tests and prototyping, a whole series of innovative design features have been incorporated into the high performance tape, exemplified by its distinctive design.

- Impact resistant ABS frame with rubber overmould protection.
- Right and left hand flip-out ergonomic rewind handle.
- Press button firm blade lock with simple release.
- Rubber grip top handle and lower base grip.
- Integral ground spike for end-hook anchoring.
- Corrosion resistant triple action end-hook.
- Low friction action for smooth rewind.
- Scaled diameter blade drum for balanced rewind speed.
- Easy clean blade feed with side flush apertures.



SURVEYOR MEASURING TAPE SY
1.3mm Tough Coat steel tape.



Ref. no.	Model	Length	Class	Blade Type	Pack Qty	Unit Price
353541	SY50ME	50m/165ft	I	Tough Coat	1	144.56
353501	SY50M	50m	I	Tough Coat	1	144.55



CC LONG TAPES



The CC tapes have a unique one hand grip for each case size enabling optimal handling. Available in a variety of lengths with either, a 'Matt Coat' polyester coated steel or PVC overcoated fibreglass blade. With a solid high-impact case of ABS plastic that is tougher than an equivalent steel case. Unique loop with added features and a mouth-piece with anti-wear function.

- Matt Coat polyester coated steel blades are accurate to EC Class I.
- PVC overcoated fibreglass blades are accurate to EC Class II.
- High impact ABS case with unique hand grip enabling optimal handling.
- The medium size case has a quick rewind function 3:1.
- Hole hanger for strap enabling safe work at heights.

CC MEASURING TAPE

Matt Coat steel or Fibreglass tape. Packed in 2-packs.



Ref. no.	Model	Length	Class	Blade Width	Blade Type	Unit Price
390113	CC10ME	10m/33ft	I	10mm	Matt Coat	33.13
390103	CC10M	10m	I	10mm	Matt Coat	33.13
390213	CC20ME	20m/66ft	I	10mm	Matt Coat	43.28
390203	CC20M	20m	I	10mm	Matt Coat	43.28
390313	CC30ME	30m/100ft	I	10mm	Matt Coat	57.50
390303	CC30M	30m	I	10mm	Matt Coat	57.50
390413	CX30ME	30m/100ft	I	13mm	Matt Coat	64.00
390403	CX30M	30m	I	13mm	Matt Coat	64.00
390513	CX50ME	50m/165ft	I	13mm	Matt Coat	91.48
390503	CX50M	50m	I	13mm	Matt Coat	91.30
391103	CC10FM	10m	II	13mm	Fibreglass	38.18
391213	CC20FME	20m/66ft	II	13mm	Fibreglass	46.45
391203	CC20FM	20m	II	13mm	Fibreglass	46.45
391313	CC30FME	30m/100ft	II	13mm	Fibreglass	59.71
391303	CC30FM	30m	II	13mm	Fibreglass	59.71

Long Tapes & Survey

PACER MEASURING TAPE PL/PR/PJ

13mm Tough Coat or Matt Coat steel or Fibreglass tape.



Ref. no.	Model	Length	Class	Blade Type	Pack Qty	Unit Price
352471	PL30ME	30m/100ft	II	Tough Coat	1	91.58
352461	PL30M	30m	II	Tough Coat	1	110.20
352571	PL50ME	50m/165ft	II	Tough Coat	1	135.31
352561	PL50M	50m	II	Tough Coat	1	149.93
352831	PR50M	50m	II	Matt Coat	1	124.02
352841	PR100M	100m	II	Matt Coat	1	169.03
352861	PJ100ME	100m/330ft	II	Fibreglass	1	143.07
352851	PJ100M	100m	II	Fibreglass	1	171.01

TRACKER MEASURING TAPE TC/TRR

13mm Tough Coat or Matt Coat steel tape.



Ref. no.	Model	Length	Class	Blade Type	Pack Qty	Unit Price
356711	TC30ME	30m/100ft	II	Tough Coat	1	92.71
356721	TC50ME	50m/165ft	II	Tough Coat	1	137.75
356811	TRR30ME	30m/100ft	II	Matt Coat	1	75.41
356911	TRR50ME	50m/165ft	II	Matt Coat	1	112.75

SATELLITE MEASURING TAPE PT

10mm Matt Coat steel tape.



Ref. no.	Model	Length	Class	Blade Type	Pack Qty	Unit Price
352913	PT20ME	20m/66ft	II	Matt Coat	1	30.83
352903	PT20M	20m	II	Matt Coat	1	31.15
353013	PT30ME	30m/100ft	II	Matt Coat	1	38.34
353003	PT30M	30m	II	Matt Coat	1	38.34

RANGER MEASURING TAPE PC

13mm Fibreglass tape.



Ref. no.	Model	Length	Class	Blade Type	Pack Qty	Unit Price
352661	PC30ME	30m/100ft	II	Fibreglass	1	51.66
352651	PC30M	30m	II	Fibreglass	1	63.95
352761	PC50ME	50m/165ft	II	Fibreglass	1	83.98
352751	PC50M	50m	II	Fibreglass	1	84.04

FUTURA MEASURING TAPE FI

13mm Fibreglass tape.



Ref. no.	Model	Length	Class	Blade Type	Pack Qty	Unit Price
354613	FI20ME	20m/66ft	II	Fibreglass	1	37.13
354603	FI20M	20m	II	Fibreglass	1	37.13
354713	FI30ME	30m/100ft	II	Fibreglass	1	42.91
354703	FI30M	30m	II	Fibreglass	1	42.89

Calibrated Tapes

PACER MEASURING TAPE PL



Ref. no.	Model	Length	Class	Blade Type	Pack Qty	Unit Price
352401	PL30M A	30m	I	Tough Coat	1	165.84
352501	PL50M A	50m	I	Tough Coat	1	197.81

Net price for nominal length. Calibration cost is in addition to standard product price.

LONG TAPE ENDINGS

Hultafors long tapes have four alternative beginning points:

A Endings - Zero point is approximately 100mm from the end of the tape.

B Endings - Zero point is at the end of the tape.

C Endings - Zero point is at the inside edge of the claw.

There is also a choice of four end-rings that can be fitted to the tapes:


Type 1 - High grade mild steel loop. Available with single sided metric steel tapes.

Type 3 - Engineering grade polymer end loop. Available with single sided fibreglass tapes.

Type 4 - Engineering grade polymer end loop with integral precision fold-in claw and additional hook on bar. Available with selected models.

Type C - High grade mild steel loop with stainless steel claw. Standard with all style C End zero point tapes.

Please note: Not all endings are available for all models shown.



ROAD METER

A robust measuring wheel for professional surveying, highway and site work.

ROAD METER MEASURING WHEEL WH

- Tough, metal gearing and working parts for longevity.
- Belt drive is easier to replace and more durable than other mechanisms.
- Clear reading counter mechanism displays metres and centimetres and has an instant reset lever accurate to 0.1%.
- An extremely tough die-cast fork frame which holds wheel bearings.
- Swivel link folds sideways for quick collapse and packing.
- Integral dirt scraper removes dirt to keep wheel accurate.
- Easy to use foot operated brake which locks the wheel at the required measurement. The folding stand can be steadied by a foot to prevent wheel being blown over by wind or traffic movement.
- Pointer clearly visible for accurate start and end readings.
- Circumference - 1m
- Height - 900mm
- Weight - 2.7kg
- Counter range - 9999.99m



Ref. no.	Model	Height	Weight	Unit Price
550010	WH10	900mm	2.7kg	327.05

Spirit Level ELV 40

The spirit level for electricians

Spirit level for electrical installations. The C-shaped aluminium profile has plastic end pieces and rubber spacers that protects and prevents the spirit level from sliding on the measuring surface. The sliding markers with graded 71mm centre spacing, allow for quick and accurate positioning when installing switch or junction boxes according to DIN 49075.

- Tolerance in normal position is $\pm 0.5\text{mm/m}$, upside down $\pm 0.75\text{mm/m}$.
- Focus vial with colour markings for easy reading and with a 200mm radius giving a sensitivity of 10mm/m.
- The liquid in the vial is a low viscosity coloured oil mixture that gives the bubble optimal freedom of movement.
- The anti-static properties of the liquid means that the bubble is not affected by static electricity.
- Printed millimetre grid scale on profile.

Ref. no.	Model	No. of Vials	Length	Material	Pack Qty	Unit Price
408605	ELV 40	2	400mm	Aluminium	1	85.18



Spirit Level IV 40

Precision in every installation

Spirit level for installation applications. Robust aluminium profile with neodymium magnets. This, along with the V-shape of the profile, allows for a strong hold on pipes and other metal surfaces. Centre point scale on top of the profile for quick measurement and layout in different applications.

- Tolerance in normal position is $\pm 0.5\text{mm/m}$, upside down $\pm 0.75\text{mm/m}$.
- Neodymium magnets integrated in the profile for strong magnetic force.
- The liquid in the vial is a low viscosity coloured oil mixture that gives the bubble optimal freedom of movement.
- Block Vial with additional rings for 2% inclination indication when measuring horizontally.
- Double vials for both horizontal and vertical measurement.

Ref. no.	Model	No. of Vials	Length	Material	Pack Qty	Unit Price
408705	IV 40	2	400mm	Aluminium	1	131.91



NOW WITH BLUETOOTH CONNECTIVITY

Measuring for angles and manually marking out inclination can be difficult and the risk for error is high. For these occasions, a digital spirit level will provide accurate readings, therefore making the job more efficient. These levels have a backlit display and an acoustic signal that indicates when the correct angle is reached. It is also possible to store previous measuring results.

Go digital for precise inclination

DIGITAL SPIRIT LEVEL D 60

Spirit level with a digital unit mounted in a robust aluminium box profile with Bluetooth connection. For measuring inclination in different applications. The measurement area is 360°, split into four 90° zones. The vials are highly resistant to ultraviolet light and temperature fluctuations. The vials have a +30% magnification lens and the horizontal vial has a luminescent reflector. Easy battery change and automatic shut-off after 5 minutes.

- Tolerance of vials in normal/inverted position is $\pm 0.5\text{mm/m}$.
- Shock absorbing end protectors with anti-slip function.
- The display shows tenths of degrees, percentages, mm/m or inch/feet.
- Electronic unit tolerance in horizontal (0°) and vertical (90°) position is $\pm 0.05^\circ$, for other angles $\pm 0.1^\circ$.

UPDATED
DESIGN



Ref. no.	Model	Length	No. of Vials	Pack Qty	Unit Price
408501	D 60	600mm	2	1	374.99

DIGITAL SPIRIT LEVEL MAGNETIC DM 60/120

Spirit level with a digital unit mounted in a robust aluminium box profile with Bluetooth connection. With the help of integrated magnets, the digital spirit level can easily be attached to metal surfaces. For measuring inclination in different applications. The measurement area is 360°, split into four 90° zones. The vials have a +30% magnification lens and the horizontal vial has a luminescent reflector. Easy battery change and automatic shut-off after 5 minutes.

- Strong neodymium magnets integrated in the profile.
- Tolerance of vials in normal/inverted position is $\pm 0.5\text{mm/m}$.
- Shock absorbing end protectors with anti-slip function.
- The display shows tenths of degrees, percentages, mm/m or inch/feet.
- Electronic unit tolerance in horizontal (0°) and vertical (90°) position is $\pm 0.5^\circ$, for other angles $\pm 0.1^\circ$.

UPDATED
DESIGN



Ref. no.	Model	Length	No. of Vials	Pack Qty	Unit Price
408511	DM 60	600mm	2	1	396.26
408521	DM 120	1202mm	2	1	444.68



Torpedo Spirit Level - TV20

Pocket optimised levelling



A compact, lightweight and versatile spirit level, designed with tapered ends to fit perfectly in your pocket.

It comes equipped with crush-proof tubular vials - horizontal, vertical and 45° angle. All three vials are highly resistant to ultraviolet light and temperature fluctuations. The liquid gives the bubble optimum freedom of movement and is not affected by static electricity.

It's made from impact resistant ABS plastic and an aluminium core that makes it both more durable and precise. A strong magnet keeps it in place on pipes, beams and magnetic surfaces.

- Slim torpedo spirit level designed to fit in your pocket.
- Aluminium profile for greater durability and precision.
- 3 crush proof vials with a 200mm radius giving a sensitivity of 10mm/m.
- Tolerance +/-1.0mm/m.
- Strong magnet along the entire contact surface.

Ref. no.	Model	Length	No. of Vials	Pack Qty	Unit Price
401893	TV 20	200mm	3	6	47.58



DIGITAL POCKET LEVEL DPL

Smart and compact multifunctional digital pocket level. This device combines the functions of a spirit level, an inclinometer and a protractor in one device. The auto-rotating backlit display and v-grooved magnetic base allows for use in many environments. Switchable acoustic signal. Combine it with our Hultafors Measures app, to show the full potential of this small spirit level.

- Tolerance of 0.05° at 0° and 90°, 0.2° between 1° and 89°.
- Magnetic base with V-groove ensures a secure hold on pipes and metal surfaces.
- Bluetooth interface for use with the Hultafors Measures app.
- Display measure values switchable between °, %, mm/m, and in/ft.
- Included belt pouch for protection and transportation.

Ref no.	Model	Length	Pack Qty	Unit Price
401323	DPL	80mm	1	147.67
401326	DPL Display - 5 Pack	80mm	5	147.67



NEW RRP!



Spirit Levels

All levels are packed in quantities of 'one' unless specified.

PROFESSIONAL SPIRIT LEVEL PV

Aluminium.

Tolerance: Normal $\pm 0.5\text{mm/m}$, Inverted $\pm 0.5\text{mm/m}$.



Ref. no.	Model	Length	No. of Vials	Unit Price
414001	PV 40	400mm	3	65.99
414101	PV 60	600mm	3	70.22
414201	PV 80	800mm	3	77.48
414301	PV 100	1000mm	3	85.77
414401	PV 120	1200mm	3	93.82
414501	PV 140	1400mm	3	103.16
414701	PV 200	2000mm	3	124.39

SPIRIT LEVEL ALUMINIUM PVL 120

Aluminium. Limited edition of the PV level with a bronze colour and two integrated handles.

Tolerance: Normal $\pm 0.5\text{mm/m}$, Inverted $\pm 0.5\text{mm/m}$.

LIMITED EDITION



Ref. no.	Model	Length	No. of Vials	Unit Price
414403	PVL 120	1200mm	3	223.49

CRAFTSMAN SPIRIT LEVEL HV

Aluminium.

Tolerance: Normal $\pm 0.5\text{mm/m}$, Inverted $\pm 0.75\text{mm/m}$.



Ref. no.	Model	Length	No. of Vials	Unit Price
411001	HV 40	400mm	2	46.86
411101	HV 60	600mm	3	58.10
411201	HV 80	800mm	3	64.70
411301	HV 100	1000mm	3	73.95
411401	HV 120	1200mm	3	91.14
411501	HV 150	1500mm	3	110.78
411601	HV 180	1800mm	3	120.81
411701	HV 200	2000mm	3	132.05

CRAFTSMAN SPIRIT LEVEL HVP MAGNET

Aluminium.

As of 2022, the HVP spirit levels have been updated with a new robust profile and integrated neodymium magnets.

Tolerance: Normal $\pm 0.5\text{mm/m}$, Inverted $\pm 0.75\text{mm/m}$.

UPDATED DESIGN



Ref. no.	Model	Length	No. of Vials	Unit Price
400753	HVP MAGNET 30	300mm	2	48.16
400803	HVP MAGNET 40	400mm	2	66.38
400903	HVP MAGNET 60	600mm	2	72.34
401001	HVP MAGNET 120	1200mm	2	125.35

INCLINOMETER SPIRIT LEVEL I 360

Aluminium.

Tolerance: Normal $\pm 1.0\text{mm/m}$.



Ref. no.	Model	Length	No. of Vials	Unit Price
401203	I360	600mm	3	37.22

DIY SPIRIT LEVEL SM

Aluminium.

Tolerance: Normal $\pm 0.75\text{mm/m}$, Inverted $\pm 1.0\text{mm/m}$.



Ref. no.	Model	Length	No. of Vials	Unit Price
405831	SM 30	300mm	2	21.49
405841	SM 40	400mm	2	24.29
405851	SM 60	600mm	2	26.97
405861	SM 80	800mm	2	29.84
405881	SM 90	900mm	2	31.54
405871	SM 100	1000mm	2	33.21
405921	SM 120	1200mm	2	43.00
405931	SM 150	1500mm	3	51.63
405941	SM 180	1800mm	3	58.75
405951	SM 200	2000mm	3	63.60

DIY SPIRIT LEVEL GDS

Plastic.

Tolerance: Normal $\pm 1.0\text{mm/m}$.



Ref. no.	Model	Length	No. of Vials	Unit Price
401503	GDS 40	400mm	2	19.18
401603	GDS 60	600mm	2	26.15

TORPEDO SPIRIT LEVEL TVP

Plastic. Tolerance: Normal $\pm 1.0\text{mm/m}$.

Quantity per pack: 5.



Ref. no.	Model	Length	No. of Vials	Unit Price
401803	TVP 25	250mm	2	16.76

TORPEDO SPIRIT LEVEL TVP MAGNET

Plastic. Tolerance: Normal $\pm 1.5\text{mm/m}$.

Quantity per pack: 5.



Ref. no.	Model	Length	No. of Vials	Unit Price
401853	TVP MAGNET 20	200mm	3	12.89

SPIRIT LEVEL MST

Aluminium.

Tolerance: Normal $\pm 0.3\text{mm/m}$.



Ref. no.	Model	Length	No. of Vials	Unit Price
402801	MST 75	750mm	2	180.09
402901	MST 180	1800mm	3	319.70

LINE LEVEL UZ

Plastic.

Quantity per pack: 10.



Ref. no.	Model	Length	No. of Vials	Unit Price
402804	UZ 8	80mm	1	6.05

RIGHT-ANGLE LEVEL K

Plastic.

Quantity per pack: 10.



Ref. no.	Model	Length	No. of Vials	Unit Price
402004	K 5	60mm	2	7.19

EN17 DIGITAL INCLINOMETER



Ref. no.	Dimensions	Unit price
408431	167 x 5 x 35mm	252.76

POCKET SPIRIT LEVEL MPL

Compact spirit level for fast and reliable horizontal measuring, features crush-proof block vial with magnifying effect.

Tolerance: Normal 1.00mm/m .

Quantity per pack: 10.



Ref. no.	Model	Length	No. of Vials	Unit Price
401303	MPL	68mm	1	25.11

POCKET SPIRIT LEVEL MPL MAGNETIC

Compact spirit level with magnet for fast and reliable horizontal and vertical measuring, features crush-proof focus vial with magnifying effect. The strong magnet and V-groove facilitates measurement on flat or curved surfaces such as pipes, beams etc.

Tolerance: Normal 0.75mm/m .

Quantity per pack: 10.



Ref. no.	Model	Length	No. of Vials	Unit Price
401313	MPL MAGNETIC	68mm	1	33.06

MULTI-FUNCTION SPIRIT LEVEL LIBELLA 2000



Libella 2000 is a short spirit level cast in aluminium with a smooth-finished contact surface. It is equipped with crush-proof block vials that have magnifying lenses and a luminescent reflector, which facilitates reading in environments that are not optimal.

The radius of the vial is 1000mm, giving a sensitivity of 2mm/m. Tolerance in normal position is $\pm 0.25\text{mm}$, upside down $\pm 0.75\text{mm/m}$. Adding spirit level rails and gradient wedges will increase the number of applications your Libella 2000 can be used for.



1. When fitting door/window frames, LIBELLA 2000 can be used with a spirit level rail.



2. Using a spirit level rail and extensions, the maximum length is increased to 3100mm.



3. In narrow spaces, use LIBELLA 2000 only.



4. You can check inclines using the gradient wedge.

LIBELLA 2000 SPIRIT LEVEL

Aluminium.

Tolerance: Normal $\pm 0.25\text{mm/m}$, Inverted $\pm 0.75\text{mm/m}$.
Quantity per pack: 1.



Ref. no.	Model	Length	No. of Vials	Unit Price
407001	LIBELLA 2000	310mm	2	221.68

SPIRIT LEVEL RAIL LIBELLA

Aluminium spirit level rails with grooves for simple and stepless fitting on Libella 2000. Quantity per pack: 1.



Ref. no.	Model	Length	Unit Price
407201	L 1200	1200mm	82.37
407301	L 1500	1500mm	107.83
407401	L 1800	1800mm	125.98

RAIL LIBELLA L600 + 900 SET

A set of two extension rails, of 600mm and 900mm lengths. Quantity per pack: 1.



Ref. no.	Model	Length	Unit Price
407501	L 600+900	600 - 900mm	136.75

EVS 2000 END PLUG SPIRIT LEVEL RAIL

Quantity per pack: 1.



Ref. no.	Model	Unit Price
407861	EVS 2000	20.00

EFS 2000 END PLUG EXTENSION RAIL

Quantity per pack: 1.



Ref. no.	Model	Unit Price
407881	EFS 2000	20.00

F 2-40 GRADIENT WEDGE LIBELLA

ABS Plastic. Gradient is measured in millimetres per metre and the gradient wedge has 20 steps between 2 and 40mm/m. Quantity per pack: 1.



Ref. no.	Model	Unit Price
407601	F 2-40	24.83

L 2000 SPARE VIAL

Quantity per pack: 1.



Ref. no.	Model	Unit Price
407011	L2000	67.40

SP 2000 STRESS PLATE WITH NUT

Quantity per pack: 1.



Ref. no.	Model	Unit Price
407831	SP 2000	17.57

SB600 + 900 STRESS BLOCK WITH WING NUT

Quantity per pack: 1.



Ref. no.	Model	Unit Price
407841	SB 600+900	15.31

Rafter Squares



RAFTER SQUARE

The Hultafors Rafter Square is now available in two new sizes – mini and large – and both feature a white area on the reverse for making notes. It features a solid aluminium body with CNC-machined edges for greater accuracy and durability. The tool allows you to make fast and precise 45° and 90° markings. In addition, its thick edge is useful as a saw guide – it can be used directly with the saw against the square for cross cuts or angled cuts. This highly versatile tool can be used indirectly as well, using the scribing notches to create a pencil line or for when cutting plaster with a knife. The Hultafors Rafter Square can also be used as a protractor, for easily finding and marking various common angles, and has scales for cutting hip, valley and jack rafters.

- Low-glare protective anodized finish.
- Graduations are laser etched, highly resistant to wear and numbers are highly visible.
- Scribing notches.



Ref. no.	Model	Length	Pack Qty	Unit Price
257010	Metric MRS Medium	18cm	2	27.34
257020U	Inch IRS	7"	2	27.34
257030	Metric MMRS Mini	11cm	2	21.21
257032	Metric MMRS Mini Expo	11cm	10	21.21
257040	Metric LMRS Large	30cm	2	46.19



Squares

Packed in 5-packs unless otherwise stated.

RAFTER SQUARE

Polystyrene Body.

Quantity per pack: 2.



Ref. no.	Model	Length	Unit Price
265503	X55E	7"	9.48

PLASTERER'S ADJUSTABLE SQUARE

Anodised Aluminium.

Quantity per pack: 2.



Ref. no.	Model	Blade Length	Unit Price
253510	PS90	900mm	84.12
253501	PS120	1200mm	90.94

NO. 52 COMBINATION SQUARE

Precision cast zinc stock.

Quantity per pack: 2.



Ref. no.	Model	Blade Length	Stock	Unit Price
265203	52ME	30cm/12"	Zinc	18.18

NO. 56 COMBINATION SQUARE

Precision cast zinc stock.

Quantity per pack: 2.



Ref. no.	Model	Blade Length	Stock	Unit Price
265603	56ME	15cm/6"	Zinc	9.42

NO. 58 COMBINATION SQUARE

Precision cast zinc stock.

Quantity per pack: 2.



Ref. no.	Model	Blade Length	Stock	Unit Price
265803	58ME	30cm/12"	Zinc	42.71

ADJUSTABLE BEVEL SQUARE -

QBS 25

Adjustable with fixed positions for 45°, 90°, 135°, 180°, 225° and 270°. Aluminium stock and stainless steel blade.



Ref. no.	Model	Length	Tolerance	Unit Price
256023	QBS 25	330mm	± 0.06°	59.13

ADJUSTABLE MITRE SQUARE -

QUATTRO 270

Adjustable with fixed positions for 45°, 90°, 135°, 180°, 225° and 270°. Aluminium stock and stainless steel blade.



Ref. no.	Model	Blade Length	Tolerance	Unit Price
253120	QUATTRO 270	300mm	± 0.06°	51.61

PROFESSIONAL SQUARE

Aluminium stock and stainless steel blade.



Ref. no.	Model	Blade Length	Tolerance	Unit Price
260303	S20P	205mm	± 0.03°	38.41
260403	S25P	255mm	± 0.03°	40.81
260503	S30P	305mm	± 0.03°	44.41

LIGHTWEIGHT SQUARE

PB/ABS handle and stainless steel blade.



Ref. no.	Model	Blade Length	Tolerance	Unit Price
310303	S20L	205mm	± 0.06°	16.32
310403	S25L	255mm	± 0.06°	18.00
310503	S30L	305mm	± 0.06°	20.40

BEVEL SQUARE

Stainless steel blade and aluminium stock.



Ref. no.	Model	Blade Length	Unit Price
256003	SMV 20	200mm	39.64

MITRE SQUARE

Fibreglass reinforced nylon.


Quantity per pack: 4.



Ref. no.	Model	Unit Price
254003	GV	36.03

COMBI SQUARE

Anodised Aluminium.



Ref. no.	Model	Blade Length	Unit Price
252003	COMBI	17cm	67.91

CARPENTER'S SQUARE

Carpenter's Square made of 1.5mm thick high-strength steel, cut with a precision laser, provides a durable and high precision product. There is a millimetre graduation on the front and back side of the square and on the backside, there is also an additional angle scale with two pivot points, one for 1-20° and one for 20-89°.



UPDATED DESIGN

Ref. no.	Model	Blade Length	Tolerance	Unit Price
251403	TMV 60	60cm	± 1.0mm/m	48.27
251503	TMV 80	80cm	± 1.0mm/m	54.74
251603	TMV 100	100cm	± 1.0mm/m	72.76

Pencils

All pencils are supplied in packs of 200.

CARPENTER'S PENCILS



Ref. no.	Model	Length	Hardness	Unit Price
650207	SNP 18 RED	180mm	HB	1.07
650707	SNP 18 BLACK	180mm	HB	1.07
650407	SNP 24 BLUE	240mm	HB	1.76

CONCRETE PENCIL



Ref. no.	Model	Length	Hardness	Unit Price
650307	BEP 30 GREEN	300mm	10H	1.76

Chalk Lines

CLP 30

Absorbs more chalk - up to 10 distinct lines. Rewinds 3x faster than traditional chalk lines, quick reel-out gear release and overload protection. Weight 140g.

Quantity per pack: 2.



Ref. no.	Model	Length	Unit Price
652113	CLP 30	30m/100ft	28.55

CHALK LINE AL

Aluminium.

Quantity per pack: 6.



Ref. no.	Model	Length	Weight	Unit Price
652153	AL 30	30m/100ft	140g	25.09

GIANT CHALK LINE

Supplied individually.



Ref. no.	Model	Length	Weight	Unit Price
652161	C1-060	50m/165ft	610g	71.36

ROLL LINE RANGING LINE

Supplied individually.



Ref. no.	Model	Length	Weight	Unit Price
652171	C4-100	100m/330ft	240g	22.80

Chalk

MARKING CHALK

Quantity per pack: 6.



Ref. no.	Model	Weight	Unit Price
652633	ULTRA BLUE 400	400g	10.36
652523	BLUE 100	100g	4.68
652533	BLUE 360	360g	8.65
652333	YELLOW 360	360g	8.65
652233	WHITE 360	360g	8.65
652423	RED 100	100g	4.68
652433	RED 360	360g	8.65
652733	HIGH VIZ GREEN 200	200g	15.14
652833	HIGH VIZ ORANGE 200	200g	15.14

Rules

STEEL SCALES STL

Quantity per pack: 10.



Ref. no.	Model	Length	Width	Unit Price
554003	STL 150	150mm	14.7mm	5.21
554103	STL 300	300mm	23.7mm	10.97
554203	STL 600	600mm	28.5mm	27.14
554303	STL 1000	1000mm	35.0mm	52.54

NEW!
FOR 2025

Innovative Sliding Bevel for precise angles

SLIDING BEVEL SLB 20

The new Sliding Bevel SLB 20 offers multiple smart features including a stainless steel 20cm blade with a durable, laser-etched millimetre scale and angle markings (0–90°) on both sides. There is a unique, extra-strong locking mechanism at the end of the stock. The ergonomically designed knob ensures a reliable lock when transferring the measured angle or length between workpieces.

Quantity per pack: 5.

- Ergonomic knob with extra-strong locking mechanism
- Angle markings on both sides of the blade
- Flat edge and marking notch for transferring length and depth measurements
- Measurement scale from 0–200mm
- Anodized aluminium with a low CO₂ footprint

NEW

Ref. no.	Model	Weight	Length	Width	Height	Unit Price
256013	SLB 20	170g	268mm	51mm	20mm	34.22

Makes your marking more efficient

CHALK LINE CLP DUO 30

The new CLP Duo 30 is an innovative solution with two housings connected by one line, making work safer and more efficient in hard-to-reach places, such as roofs or sky lifts. Unlike a traditional chalk line reel, you don't have to walk or throw back the end hook, instead you can crank the line back and forth between the houses for easy pigment replenishment. Quantity per pack: 2.

- Innovative design with two housings to increase efficiency and safety
- 30 metres of braided line provides distinctive lines thanks to high absorbency
- Robust construction with ABS plastic housing, metal crank with 3:1 gear ratio and ergonomic release button
- Overload protection reduces the risk of damaging the gear and breaking the line
- Holds 2x 100g chalk

NEW

Ref. no.	Model	Weight	Length	Width	Height	Unit Price
653013	CLP Duo 30	444g	243mm	183mm	65mm	40.60

STAINLESS STEEL RULES

Quantity per pack: 10.



Ref. no.	Model	Length	Width	Unit Price
554013	X706-S	150mm/6"	15mm	3.67
554113	X712-S	300mm/12"	25mm	6.10
554213	X725-S	610mm/24"	30mm	11.96

WOODEN FOLDING RULE

Quantity per pack: 10.



Ref. no.	Model	Length	Width	Unit Price
100004	59-2-10	2m	17mm	9.93

SURVEYORS ROD SR

Six fold wooden rule.

Quantity per pack: 5.



Ref. no.	Model	Length	Width	Unit Price
103164	649-2-6 KM	2m/6ft	24mm	98.78
102964	599-2-6 KM	2m	24mm	98.78

BENCH RULE BR

Quantity per pack: 5.



Ref. no.	Model	Length	Width	Unit Price
550161	9-100/25 FI	1m/3ft	25mm	16.83

ALUMINIUM FOLDING RULE

Anodised aluminium with galvanised steel joints.

Quantity per pack: 5.



Ref. no.	Model	Length	Width	Unit Price
150203	A 61-2-10	2m/6ft	15mm	44.27
150303	A 61-1-6	1m/3ft	15mm	27.49

RULE XFB

White Polycarbonate Four Fold Rule with bevelled edges.

Quantity per pack: 10.



Ref. no.	Model	Length	Width	Unit Price
201512	XFB-1ME	1m/3ft	36mm	22.12

RULE XFY

ABS General purpose four fold rule.

Quantity per pack: 10.



Ref. no.	Model	Length	Width	Unit Price
201312	G64-1-4-16 ME	1m/3ft	32mm	11.84

FOLDING RULE G 59-2.4-12 GU

Fibreglass reinforced polyamide.

Quantity per pack: 5.



Ref. no.	Model	Length	Width	Unit Price
201304	G59-2.4-12 GU	2.4m	15mm	22.80

FOLDING RULE G559

The Contact-Meter has a metric scale printed on the opposite side of the sections compared to a standard folding rule. This enables you to place it flat against a surface - even when it is not completely folded out - which makes it easier to measure with good precision.

Quantity per pack: 10.



Ref. no.	Model	Length	Width	Unit Price
201804	G559-2-10 GU	2.4m	15mm	18.69

Clear marks, on all types of surfaces

Hultafors range of marking tools consists of both traditional carpenter pencils and the next generation of tools for marking. The products are developed together with professionals and are designed for making your workday more efficient, no matter what material you are dealing with.



DRY MARKER HDM

Grip-friendly pencil in holster with built-in sharpener for clear markings. Packed in 10-packs.

- Grip-friendly and ergonomic design.
- Roll stop on both pencil and holster.
- Sharp and accessible sharpener placed in the holster.
- Optimised lead for durability and resistance to moisture
- Refill is available with 10 leads in a smart container.



Ref. no.	Model	Length	Width	Height	Unit Price
650100	HDM	164mm	21mm	28mm	15.35

INK DEEP-HOLE MARKER

Ink pen for marking in hard-to-reach places and in narrow holes. Packed in 10-packs.

- Available in permanent red and black ink.
- For marking in hard-to-reach places.
- Works on most materials and surfaces.



Ref. no.	Model	Colour	Length	Width	Height	Unit Price
650310	HIDHM B	Black	141mm	13mm	16mm	6.12
650320	HIDHM R	Red	141mm	13mm	16mm	6.12

DRY MARKER DISPLAY

An easy-to-place counter display that combines the Dry Marker and the Dry Marker Refill. The display holds 20 pencils and 10 refills. Packed in 1-packs.

- Includes 20 Dry Markers, 5 refills with graphite leads and 5 refills with graphite leads and chalk in red and yellow.



Ref. no.	Model	Length	Width	Height	Unit Price
650130	HDM RD	212mm	163mm	166mm	411.17

DRY MARKER BLISTER PACK

Grip-friendly pencil in holster with built-in sharpener for clear markings in blister packaging. Packed in 10-packs.



Ref. no.	Model	Length	Width	Height	Unit Price
650200	HDM	131mm	23mm	28mm	17.43

DRY MARKER & REFILL BLISTER PACK

Smart starter package with the Hultafors Dry Marker and refill container with 10 leads for marking on all types of surfaces in blister packaging. Refill contains 10 leads of different colours (graphite, red and yellow) for the Dry Marker. Packed in 10-packs.



Ref. no.	Model	Length	Width	Height	Unit Price
650230	HDM-STRT	247mm	80mm	34mm	25.62

DRY MARKER REFILL

Smart container with 10 leads for marking on all types of surfaces. Hultafor's refill can be attached with a clip to a pocket or a tool bag. The design of the container protects the leads during transport and only ejects one lead at a time. The refill is now available in 8 colour combinations and fits the Hultafor's Dry Marker. Packed in 10-packs.

- Refill with 10 leads for Dry Marker.
- Clips for easy storage in pocket or bag.



Ref. no.	Model	Colour	Length	Width	Height	Unit Price
650110	HRD G	Graphite	131mm	23mm	28mm	9.56
650120	HRD GRY	Graphite/Red/ Yellow	131mm	23mm	28mm	9.56
650140	HRD-BGW	Blue/Green/ White	131mm	23mm	28mm	9.56
650150	HRD-R	Red	131mm	23mm	28mm	9.56
650160	HRD-Y	Yellow	131mm	23mm	28mm	9.56
650170	HRD-B	Blue	131mm	23mm	28mm	9.56
650180	HRD-GR	Green	131mm	23mm	28mm	9.56
650190	HRD-W	White	131mm	23mm	28mm	9.56

DRY MARKER REFILL BLISTER PACK

Smart container with 10 leads for marking on all types of surfaces, in blister packaging. Packed in 10-packs.



Ref. no.	Model	Colour	Length	Width	Height	Unit Price
650210	HRD G	Graphite	214mm	65mm	30mm	11.25
650220	HRD GRY	Graphite/Red/ Yellow	214mm	65mm	30mm	11.25
650240	HRD-BGW	Blue/Green/ White	214mm	65mm	30mm	11.25
650250	HRD-R	Red	214mm	65mm	30mm	11.25
650260	HRD-Y	Yellow	214mm	65mm	30mm	11.25
650270	HRD-B	Blue	214mm	65mm	30mm	11.25
650280	HRD-GR	Green	214mm	65mm	30mm	11.25
650290	HRD-W	White	214mm	65mm	30mm	11.25

Permanent Marker Set



Permanent marker that adheres to almost any material. Set includes four colours: blue, red, green and black, for high readability regardless of the colour of the surface. The shape of the tip allows for fine marks when needed.

- Permanent marker with alcohol-based ink.
- Set contains four pens in colours blue, red, green and black.
- Round tip allows for precision marking.
- Made in Sweden with environmentally friendly materials.
- Works on most materials and surfaces.



Ref. no.	Model	Length	Width	Height	Unit Price
650330	HPM SET	142mm	75mm	21mm	10.99

HULTAFORS TOOLS PRODUCT INDEX		
Ref. no.	Product Name	Page
100004	Wooden Folding Rule	49
102964	Surveyors Rod	49
103164	Surveyors Rod	49
150203	Aluminium Folding Rule	49
150303	Aluminium Folding Rule	49
201304	Folding Rule G59-2.4-12 GU	49
201312	Handyman's Rule XFY	49
201512	Craftsman's Rule XFB	49
201804	Folding Rule G559-2-10 GU	49
251403	Carpenter's Square TMV 60	48
251503	Carpenter's Square TMV 80	48
251603	Carpenter's Square TMV 80	48
252003	Combi Square	48
253120	Adjustable Mitre Square Quattro 270	47
253501	PS120	47
253510	PS90	47
254003	Mitre Square	48
256003	Bevel Square	48
256013	Sliding Bevel SLB 20	49
256023	Adjustable Bevel Square QBS 25	47
257010	Rafter Square MRS	47
257020U	Rafter Square IRS	47
257030	Rafter Square MMRS Mini	47
257032	Rafter Square MMRS Mini Expo	47
257040	Rafter Square LMRS Large	47
260303	S20P Professional Square	48
260403	S25P Professional Square	48
260503	S30P Professional Square	48
265203	No. 52 Combination Square	47
265503	Rafter Square	47
265603	No. 56 Combination Square	47
265803	No.58 Combination Square	47
310303	S20L Lightweight Square	48
310403	S25L Lightweight Square	48
310503	S30L Lightweight Square	48
350103	PR - PR3M	34
350107	PR - PR3M	34
350123	PR - PR3ME	34
350203	PR - PR5M	34
350207	PR - PR5M	34
350223	PR - PR5ME	34
350303	PR - PR8M	34
350304	PR - PR8M	34
350323	PR - PR8ME	34
350403	PR - PRSS 4M	35
350503	PR - PRSS 6M	35
351203	SL - SL5M	34
351207	SL - SL5M	34
351223	SL - SL5ME	34
351233	SL - SL5ME	34
352401	PACER - PL30M A - Calibrated	40
352403	Brick Mate - BM8M	38
352423	Brick Mate - BMSS8M	38
352461	PACER - PL30M	40
352471	PACER - PL30ME	40
352501	PACER - PL50M A - Calibrated	40
352561	PACER - PL50M	40
352571	PACER - PL50ME	40

HULTAFORS TOOLS PRODUCT INDEX		
Ref. no.	Product Name	Page
352651	RANGER - PC30M	40
352661	RANGER - PC30ME	40
352751	RANGER - PC50M	40
352761	RANGER - PC50ME	40
352831	PACER - PR50M	40
352841	PACER - PR100M	40
352851	PACER - PJ100M	40
352861	PACER - PJ100ME	40
352903	SATELLITE - PT20M	40
352913	SATELLITE - PT20ME	40
353003	SATELLITE - PT30M	40
353013	SATELLITE - PT30ME	40
353501	SURVEYOR - SY50M	39
353541	SURVEYOR - SY50ME	39
354603	FUTURA - FI20M	40
354613	FUTURA - FI20ME	40
354703	FUTURA - FI30M	40
354713	FUTURA - FI30ME	40
356113	Big T - BT5ME	36
356123	Big T - BT5M	36
356133	Big T - BT5ME	36
356213	Big T - BT8ME	36
356223	Big T - BT8M	36
356233	Big T - BT8ME	36
356303	Big T - BT5.4M	36
356711	TRACKER - TC30ME	40
356721	TRACKER - TC50ME	40
356811	TRACKER - TRR30ME	40
356911	TRACKER - TRR50ME	40
358113	Tri-Lok - TL5ME	35
358133	Tri-Lok - TL5M	35
358233	Tri-Lok - TL8M	35
358243	Tri-Lok - TL5ME 8 Pack	35
358413	Tri-Lok - TV5ME	33
358433	Tri-Lok - TV5M	33
359003	Talimeter Extender MT-SL	37
359103	Talimeter 2m	37
359111	Talimeter Refill Blade 2m	37
359203	Talimeter 3m	37
359211	Talimeter Refill Blade 3m	37
359303	Talimeter 6m	37
367103	Tuf Lok - TK5M	35
367113	Tuf Lok - TK5ME	35
367203	Tuf Lok - TK8M	35
367213	Tuf Lok - TK8ME	35
369003	Uni-Matic - UM3M	35
369013	Uni-Matic - UM3ME	35
369103	Uni-Matic - UM5M	35
369113	Uni-Matic - UM5ME	35
380010	Craftsman's Knife HVK	6
380020	Heavy-Duty Knife GK	7
380030	Electrician's Knife ELK	7
380040	Painter's Knife MK	8
380050	Plumber's Knife VVS	8
380060	Craftsman's Knife RFR	7
380070	Chisel Knife STK	7
380080	Safety Knife SK	7
380090	Safety Knife SKR	7

HULTAFORS TOOLS PRODUCT INDEX		
Ref. no.	Product Name	Page
380110	Outdoor Knife OK1	6
380140	Electrical Fitter's Knife EFK	7
380150	HVK BIO Knife with holster	6
380210	Craftsman's Knife HVK GH	7
380220	Precision Knife PK GH	6
380230	Rope Knife RKR GH	6
380240	Rescue Knife OKR GH	6
380260	Craftsman's Knife RFR GH	7
380270	Outdoor Knife OK4 GH	5,6
380280	Fire Steel FS	6
380310	Outdoor Folding Knife OKF	6
381010	Double Holster HVK & HVK	8
381020	Double Holster GK & HVK	8
381030	Double Holster HVK & ELK	8
381040	Double Holster HVK & URA	8
381050	Double Holster SK & USRA	8
381060	Double Holster JS & URA	8
381070	Double Holster STK & URA	8
382220	Precision Knife PKGH	6
382140	Electrical Fitter's Knife EFK	7
382230	Rope Knife RKR GH	6
382270	Outdoor Knife OK4 GH	6
383030	Electrician's Knife ELK-L	7
385050	HVK BIO Knife with paper sleeve	6
387010	Double Holster STK & HVK	8
387030	Double Holster STK & ELK	8
388020	Utility Knife URA	9
388030	Utility Knife USRA	9
388050	Utility Knife URZ	9
388320	Utility Blade Spare Blades - UBX	9
388550	Utility Blade Spare Blades - UBA	9
388560	Utility Blade Spare Blades - UBA	9
388640	Utility Blade Spare Blades - UBH	9
388650	Utility Blade Spare Blades - UBH	9
388720	Utility Blade Spare Blades - UBE	9
388820	Utility Blade Spare Blades - UBS	9
388920	Utility Blade Spare Blades - UBP	9
389010	Mineral Wool Knife	8
389140	Snap-Off Knife SPP 9A	11
389150	Snap-Off Knife SPP 18A	11
389160	Snap-Off Knife SPP 18W	11
389210	Saw Knife BK-Z SB	8
389220	Snap-Off Knife SRP 18A	10
389230	Snap-Off Knife SRP 18W	10
389240	Snap-Off Knife SFRP 18A	4,10
389250	Snap-Off Knife SFRP 18W	10
389260	Snap-Off Knife SRP 25A	10
389270	Snap-Off Knife SRP 25W	10
389280	Snap-Off Knife SPP 25A	11
389290	Snap-Off Knife SPP 25W	11
389340	Snap-off knife SFRPB 18A	10
389350	Snap-off knife SFRPB 18W	10
389530	Snap-Off Blade Allround	11
389630	Snap-Off Blade Allround	11
389650	Snap-Off Blade Allround	11
389720	Saw Knife Spare Blades	8
389740	Snap-Off Blade Non-Segment	11
389830	Snap-Off Blade Edge	11

HULTAFORS TOOLS PRODUCT INDEX		
Ref. no.	Product Name	Page
389860	Snap-Off Blade Edge	11
389920	Snap-Off Blade Performance	11
390005	EDC Chisel Set	12
390006	EDC Chisel Set	4,12
390013	Chisel EDC 6mm	12
390023	Chisel EDC 10mm	12
390033	Chisel EDC 12mm	12
390043	Chisel EDC 16mm	12
390053	Chisel EDC 18mm	12
390063	Chisel EDC 20mm	12
390073	Chisel EDC 25mm	12
390083	Chisel EDC 32mm	12
390103	CC - CC10M	5,39
390113	CC - CC10ME	5,39
390133	Incannel Gouge IGC	12
390123	Outcannel Gouge OGC	12
390203	CC - CC20M	5,39
390213	CC - CC20ME	5,39
390263	Chisel HDC 20mm	12
390273	Chisel HDC 25mm	12
390283	Chisel HDC 32mm	12
390293	Chisel HDC 40mm	12
390295	HDC Chisel Set	4,12
390299	Replaceable Nylon Striker - HDC Chisel	12
390303	CC - CC30M	5,39
390313	CC - CC30ME	5,39
390403	CC - CX30M	5,39
390413	CC - CX30ME	5,39
390503	CC - CX50M	5,39
390513	CC - CX50ME	5,39
390603	Chisel HDC 6mm	12
390613	Chisel HDC 8mm	12
390623	Chisel HDC 10mm	12
390633	Chisel HDC 12mm	12
390643	Chisel HDC 16mm	12
390653	Chisel HDC 18mm	12
390663	Chisel HDC 38mm	12
390671	Chisel Set HDC S4, 6–25	4,12
390673	Chisel Set HDC S4, 12–32	4,12
390681	Leather Tool Roll LTR	15
391073	EDC & HVK in Double Holster	12
391103	CC - CC10FM	5,39
391203	CC - CC20FM	5,39
391213	CC - CC20FME	5,39
391303	CC - CC30FM	5,39
391313	CC - CC30FME	5,39
400753	HVP Magnet 30	45
400803	HVP Magnet 40	45
400903	HVP Magnet 60	45
401001	HVP Magnet 120	45
401203	I 360	45
401303	MPL	45
401313	MPL Magnetic	45
401323	Digital Pocket Level DPL	42
401326	DPL Display 5 Pack	42
401503	GDS 40	45
401603	GDS 60	45

HULTAFORS TOOLS PRODUCT INDEX		
Ref. no.	Product Name	Page
401803	TVP 25	45
401853	TVP Magnet 25	45
401893	Torpedo Spirit Level TV 20	42
402004	Right-Angle Level K	45
402801	Spirit Level MST 75	45
402804	Line Level UZ 8	45
402901	Spirit Level MST 180	45
405831	Spirit Level SM 30	45
405841	Spirit Level SM 40	45
405851	Spirit Level SM 60	45
405861	Spirit Level SM 80	45
405871	Spirit Level SM 100	45
405881	Spirit Level SM 90	45
405921	Spirit Level SM 120	45
405931	Spirit Level SM 150	45
405941	Spirit Level SM 180	45
405951	Spirit Level SM 200	45
407001	Spirit Level Libella 2000	46
407011	L 2000	46
407201	L 1200	46
407301	L 1500	46
407401	L 1800	46
407501	L 600+900	46
407601	F 2-40	46
407831	SP 2000	46
407841	SB 600+900	46
407861	EVS 2000	46
407881	EFS 2000	46
408431	EN17 Digital Inclinometer	45
408501	Spirit Level D 60	43
408511	Spirit Level DM 60	43
408521	Spirit Level DM 120	43
408605	Spirit Level ELV 40	42
408705	Spirit Level IV 40	42
411001	Spirit Level HV 40	45
411101	Spirit Level HV 60	45
411201	Spirit Level HV 80	45
411301	Spirit Level HV 100	45
411401	Spirit Level HV 120	45
411501	Spirit Level HV 150	45
411601	Spirit Level HV 180	45
411701	Spirit Level HV 200	45
414001	Spirit Level PV 40	45
414101	Spirit Level PV 60	45
414201	Spirit Level PV 80	45
414301	Spirit Level PV 100	45
414401	Spirit Level PV 120	45
414403	Spirit Level PVL 120	45
414501	Spirit Level PV 140	45
414701	Spirit Level PV 200	45
440035	Slotted Screwdriver SL 0.4x2.5x75	17
440045	Slotted Screwdriver SL 0.5x3.0x75	17
440055	Slotted Screwdriver SL 0.6x3.5x100	17
440065	Slotted Screwdriver SL 0.8x4.0x100	17
440095	Slotted Screwdriver SL 1.0x5.5x125	17
440115	Slotted Screwdriver SL 1.2x6.5x150	17
440145	Slotted Screwdriver SL 1.2x8.0x175	17
440185	Slotted Screwdriver SL 1.6x10.0x200	17

HULTAFORS TOOLS PRODUCT INDEX		
Ref. no.	Product Name	Page
440505	Phillips Screwdriver PH 0x60	17
440515	Phillips Screwdriver PH 1x80	17
440525	Phillips Screwdriver PH 2x100	17
440535	Phillips Screwdriver PH 3x150	17
441005	Pozidriv Screwdriver PZ 0x60	17
441015	Pozidriv Screwdriver PZ 1x80	17
441025	Pozidriv Screwdriver PZ 2x100	17
441035	Pozidriv Screwdriver PZ 3x150	17
441545	Torx® Screwdriver T 05x70	17
441555	Torx® Screwdriver T 06x70	17
441565	Torx® Screwdriver T 07x70	17
441575	Torx® Screwdriver T 08x70	17
441585	Torx® Screwdriver T 09x70	17
441595	Torx® Screwdriver T 10x80	17
441605	Torx® Screwdriver T 15x80	17
441615	Torx® Screwdriver T 20x90	17
441625	Torx® Screwdriver T 25x90	17
441635	Torx® Screwdriver T 27x110	17
441645	Torx® Screwdriver T 30x110	17
441655	Torx® Screwdriver T 40x120	17
442055	Hex Ballpoint Screwdriver SW 2.5x100	19
442065	Hex Ballpoint Screwdriver SW 3.0x100	19
442085	Hex Ballpoint Screwdriver SW 4.0x100	19
442105	Hex Ballpoint Screwdriver SW 5.0x100	19
442125	Hex Ballpoint Screwdriver SW 6.0x125	19
442555	Hex Nutdriver SW 3.5x125	19
442565	Hex Nutdriver SW 4.0x125	19
442575	Hex Nutdriver SW 4.5x125	19
442585	Hex Nutdriver SW 5.0x125	19
442595	Hex Nutdriver SW 5.5x125	19
442605	Hex Nutdriver SW 6.0x125	19
442625	Hex Nutdriver SW 7.0x125	19
442635	Hex Nutdriver SW 8.0x125	19
442645	Hex Nutdriver SW 9.0x125	19
442655	Hex Nutdriver SW 10x125	19
442665	Hex Nutdriver SW 11x125	19
442675	Hex Nutdriver SW 12x125	19
442685	Hex Nutdriver SW 13x125	19
442695	Hex Nutdriver SW 14x125	19
443105	Hex Nutdriver Flex SW 6x150	19
443125	Hex Nutdriver Flex SW 7x150	19
443135	Hex Nutdriver Flex SW 8x150	19
443505	Magnetic Bit Holder SW 1/4"x125	20
443515	Quick Release Bit Holder SW 1/4"x30	20
443525	Stubby Bit Holder SW 1/4"x10	20
444065	Stubby Slotted SL 1.2x6.5x25	17
444115	Stubby Phillips PH 1x25	18
444125	Stubby Phillips PH 2x25	18
444215	Stubby Pozidriv PZ1x25	18
444225	Stubby Pozidriv PZ2x25	18
444405	Screwdriver Set HSS SL/PH	18
444415	Screwdriver Set HSS SL/PZ	18
444425	Screwdriver Set HSS SL/PH/PZ	18
444435	Screwdriver Set Torx® HSS Torx®	18
444455	VDE Screwdriver Set HSS SL/PH VDE	19

HULTAFORS TOOLS PRODUCT INDEX		
Ref. no.	Product Name	Page
444465	VDE Screwdriver Set HSS SL/PZ VDE	19
444505	Short Bit Holder Set HSS Short Bit	20
444515	Long Bit Holder Set HSS Long Bit	20
445035	VDE Slotted Screwdriver SL 0.4x2.5x75 VDE	18
445045	VDE Slotted Screwdriver SL 0.5x3.0x100 VDE	18
445055	VDE Slotted Screwdriver SL 0.6x3.5x100 VDE	18
445065	VDE Slotted Screwdriver SL 0.8x4.0x100 VDE	18
445095	VDE Slotted Screwdriver SL 1.0x5.5x125 VDE	18
445115	VDE Slotted Screwdriver SL 1.2x6.5x150 VDE	18
445145	VDE Slotted Screwdriver SL 1.2x8.0x175 VDE	18
445505	VDE Phillips Screwdriver PH 0x60 VDE	18
445515	VDE Phillips Screwdriver PH 1x100 VDE	18
445525	VDE Phillips Screwdriver PH 2x125 VDE	18
446005	VDE Pozidriv Screwdriver PZ 0x60 VDE	18
446015	VDE Pozidriv Screwdriver PZ 1x100 VDE	18
446025	VDE Pozidriv Screwdriver PZ 2x125 VDE	18
446545	VDE Torx® Screwdriver T 05x100 VDE	19
446555	VDE Torx® Screwdriver T 06x100 VDE	19
446565	VDE Torx® Screwdriver T 07x100 VDE	19
446575	VDE Torx® Screwdriver T 08x100 VDE	19
446585	VDE Torx® Screwdriver T 09x100 VDE	19
446595	VDE Torx® Screwdriver T 10x100 VDE	19
446605	VDE Torx® Screwdriver T 15x100 VDE	19
446615	VDE Torx® Screwdriver T 20x100 VDE	19
446625	VDE Torx® Screwdriver T 25x100 VDE	19
446635	VDE Torx® Screwdriver T 27x125 VDE	19
446645	VDE Torx® Screwdriver T 30x125 VDE	19
446655	VDE Torx® Screwdriver T 40x175 VDE	19
448005	VDE SL/PZ Screwdriver SL/PZ 1x100 VDE	18
448015	VDE SL/PZ Screwdriver SL/PZ 2x125 VDE	18
448105	Voltage Tester HVT 3x65	19
448115	Voltage Tester HVT 3.5x100	19
448125	Voltage Tester IEC HVT IEC 3x60	19
448135	Voltage Tester IEC HVT IEC 3.5x100	19
448505	Bit Holder BH 60	20
448515	Bit Holder BH 170	20
448525	Bit Holder Torsion BHT	20
448535	Bit Holder Slim 60 BHS 60	20
448545	Bit Holder Pivot BHP	20
448705	Torsion Diamond Bits Torx® PZ TDB Torx®/PZ	20
448715	Torsion Diamond Bits Torx® PZ PH TDB Torx®/PZ/PH	20
521153	QCX 15 Clamp	27
521303	QCX 30 Clamp	27
521453	QCX 45 Clamp	27
521603	QCX 60 Clamp	27
522203	CFP 20 Clamp	27
522253	CFP 25 Clamp	27
522303	CFP 30 Clamp	27
522403	CFP 40 Clamp	27
550010	Road Meter WH10	41

HULTAFORS TOOLS PRODUCT INDEX		
Ref. no.	Product Name	Page
550161	Bench Rule	49
554003	STL 150	48
554013	Stainless Steel Rule 15cm	49
554103	STL 300	48
554113	Stainless Steel Rule 30cm	49
554203	STL 600	48
554213	Stainless Steel Rule 61cm	49
554303	STL 1000	48
590100	Tool Bucket TB1 Display	13
590101	Tool Bucket TB1	13
590102	Tool Bucket Organiser TBO	13
590110	Ergonomic Tool Carrier	14
590120	Molded Base Tool Backpack	13
590130	Tool Backpack	13
590140	Open-Top Tool Carrier	13
590150	Electrician's Tool Bag	14
590160	Technician's Tool Bag	14
590170	Trolley Tool Bag	13
590180	Electrician's Tool Pouch	14
590190	Zippered Tool Bags	14
590200	Spirit Level Bag - Long	16
590220	Craftsman's Open Wide Tool Carrier	16
590210	Spirit Level Bag - 60cm	16
590703	Handsaw HBX	5,26
590713	Saw Blade BX	27
590726X2	Handsaw HBS Own Logo 10 pack	26
590726X3	Handsaw HBS Own Logo 45 pack	26
590730	Short Handsaw HBX	26
590740	Short Handsaw HBX	26
590750	Short Handsaw HBX	26
590760	Concrete Saw	26
590801	Bow Saw BSL	26
590811	Bow Saw BSL	26
590821	Bow Saw BSL	26
590831	Bow Saw BSL	26
590903	Handsaw HBX	5,26
590904	Handsaw HBX 10 pack	26
590905	Handsaw HBX 24 pack	26
590913	Saw Blade BX	27
591001	Bow Saw Blade	27
591021	Bow Saw Blade	27
591041	Bow Saw Blade	27
591061	Bow Saw Blade	27
591103	Handsaw HBX	5,26
591113	Saw Blade BX	27
591260	Jab Saw	26
591270	Japan Saw	26
591300	Hacksaw HMX	26
591310	Hacksaw HMS	26
591320	Hacksaw HMM	26
591330	Hacksaw HMW	26
591340	Hacksaw Blade	27
591350	Hacksaw Blade	27
591360	Hacksaw Blade	27
592000	HMRH Hammer Holder	15
592010	Hammer and Tool Holder	14
592020	Technician's Pouch	3,15
592030	Maintenance Pouch	3,15

HULTAFORS TOOLS PRODUCT INDEX		
Ref. no.	Product Name	Page
592040	Zip-Top Utility Pouch	3,15
650100	Dry Marker HDM	4,50
650110	Dry Marker Refill Graphite HRD G	51
650120	Dry Marker Refill HRD Graphite/Red/ Yellow GRY	51
650130	Dry Marker Display HDM RD	50
650140	Dry Marker Refill Blue/Green/White HRD-BGW	51
650150	Dry Marker Refill Red HRD-R	51
650160	Dry Marker Refill Yellow HRD-Y	51
650170	Dry Marker Refill Blue HRD-B	51
650180	Dry Marker Refill Green HRD-GR	51
650190	Dry Marker Refill White HRD-W	51
650200	Dry Marker HDM Blister Pack	50
650207	Carpenter's Pencil	48
650210	Dry Marker Refill HRD-G Blister Pack	51
650220	Dry Marker Refill HRD-GRY Blister Pack	51
650230	Dry Marker & Refill Blister Pack HDM-STRT	50
650240	Dry Marker Refill HRD-BGW Blister Pack	51
650250	Dry Marker Refill HRD-R Blister Pack	51
650260	Dry Marker Refill HRD-Y Blister Pack	51
650270	Dry Marker Refill HRD-B Blister Pack	51
650280	Dry Marker Refill HRD-GR Blister Pack	51
650290	Dry Marker Refill HRD-W Blister Pack	51
650307	Concrete Pencil	48
650310	Ink Deep-Hole Marker HIDHM B	50
650320	Ink Deep-Hole Marker HIDHM R	50
650330	Permanent Marker Set HPM	51
650407	Carpenter's Pencil	48
650707	Carpenter's Pencil	48
652113	CLP 30	48
652153	AL 30	48
652161	Giant Chalk Line	48
652171	Roll Line Ranging Line	48
652233	Marking Chalk White	48
652333	Marking Chalk Yellow	48
652423	Marking Chalk Red	48
652433	Marking Chalk Red	48
652523	Marking Chalk Blue	48
652533	Marking Chalk Blue	48
652633	Marking Chalk Ultra Blue	48
652733	Marking Chalk Hi-Vis Green	48
652833	Marking Chalk Hi-Vis Orange	48
653013	Chalk Line CLP Duo 30	49
820006	Carpenter's Hammer TS	29
820008	Carpenter's Hammer TS	29
820030	Nail Puller	28
820040	Electrician's Hammer EL	28
820050	Claw Hammer TR EL	29
820110	Carpenter's Hammer TC	5,29
820120	Carpenter's Hammer TC	5,29
820130	Carpenter's Hammer TC	5,29
820140	Carpenter's Hammer TC	5,29
820220	Carpenter's Hammer TR	28
820240	Carpenter's Hammer TR	28
821059	T-Block Ball Pein Hammer K	29
821062	T-Block Ball Pein Hammer K	29

HULTAFORS TOOLS PRODUCT INDEX		
Ref. no.	Product Name	Page
821064	T-Block Ball Pein Hammer K	29
821159	T-Block Cross Pein Hammer P	29
821162	T-Block Cross Pein Hammer P	29
821164	T-Block Cross Pein Hammer P	29
821259	T-Block Combi Hammer C	29
821262	T-Block Combi Hammer C	29
821264	T-Block Combi Hammer C	29
822281	Bricklayer's Hammer TB	29
822112	Club Hammer MER 1200	29
823031	Copper Hammer CU	29
823032	Copper Hammer CU	29
823034	Copper Hammer CU	29
823035	Copper Hammer CU	29
823036	Copper Hammer CU	29
823037	Copper Hammer CU	29
823312	Non-Rebound Hammer STFS	29
823314	Non-Rebound Hammer STFS	29
823315	Non-Rebound Hammer STFS	29
823316	Non-Rebound Hammer STFS	29
823411	Dead Blow Hammer DB	28
823412	Dead Blow Hammer DB	28
823413	Dead Blow Hammer DB	28
823414	Dead Blow Hammer DB	28
824009	Steel Wrecking Bar 109/12"	31
824010	Steel Wrecking Bar 109/20"	31
824011	Steel Wrecking Bar 109/25"	31
824012	Steel Wrecking Bar 109/28"	31
824013	Steel Wrecking Bar 109/36"	31
824021	109/25" TD Wrecking Bar	31
824031	Steel Pinch Bar 207/400	31
824032	Steel Pinch Bar 207/500	31
824033	Steel Pinch Bar 207/600	31

HULTAFORS TOOLS PRODUCT INDEX		
Ref. no.	Product Name	Page
824115	209 SB Wrecking Bar	5,30
827013	108 Wrecking Bar	31
827023	108 Wrecking Bar Mini	31
827026	108 Wrecking Bar Mini Display	31
827043	108 Wrecking Bar	31
827547	Replaceable Nylon Striker - STFS	29
827549	Replaceable Nylon Striker - STFS	29
827551	Replaceable Nylon Striker - STFS	29
827552	Replaceable Nylon Striker - STFS	29
840025	Hatchet	21
840085	Felling Axe HY	21
840086	Hatchet	21
840144	Felling Axe HY	21
840185	Felling Axe HY	21
840592	Splitting Axe KLY	21
840511	Arvika 5 Star Axe	24
840716	Axe Sheath	24
840736	Axe Sheath	24
840746	Axe Sheath	24
840756	Axe Sheath	24
840766	Axe Sheath	24
840776	Axe Sheath	24
840791	Trekker's Little Helper Forsberg	23
840792	Grinding Stone Axe	23
840793	Overstrike Guard	23
840795	Axe Holster	23
840796	Axe Sling	23
840797	Leather Belt	23
840798	Leather Belt	23
841001	Aluminium Pry Bar	31
841002	Aluminium Pry Bar	31
841003	Aluminium Pry Bar	31

HULTAFORS TOOLS PRODUCT INDEX		
Ref. no.	Product Name	Page
841010	Aluminium Wrecking Bar	31
841014	Aluminium Pry Bar	31
841020	Aluminium Bending Bar	31
841022	Aluminium Wrecking Bar	31
841024	Aluminium Pry Bar	31
841034	Aluminium Pry Bar	31
841044	Aluminium Pry Bar	31
841054	Aluminium Pry Bar, Demolition	31
841701	Hultån Hatchet	24
841710	Ekelund Hunting Axe	24
841720	Qvarfot Felling Axe	24
841730	Stålberg Carpenter's Axe	24
841740	Hult Splitting Axe	24
841750	Wetterhall Throwing Axe	24
841760	Ågelsjön Mini Hatchet	24
841770	Åby Forest Axe	24
841780	DVARDALA 0.7 Axe	22
842701	Spare Axe Handle	24
842710	Spare Axe Handle	24
842720	Spare Axe Handle	24
842730	Spare Axe Handle	24
842740	Spare Axe Handle	24
842750	Spare Axe Handle	24
842760	Spare Axe Handle	24
842770	Spare Axe Handle	24
842771	Spare Axe Handle	22
900122	Talimeter Extender RMT	37
ADATK50126	Tuf Ad 5ME - Own Logo	35
ADATK80126	Tuf Ad 8ME - Own Logo	35





Hultafors Group UK Limited

Unit N3, Gate 4,
Meltham Mills Ind Estate Meltham
HOLMFIRTH HD9 4DS

Tel. +44 (0)1484 85 44 88

Fax. +44 (0)1484 85 47 33

Hultafors Tools Product Development reserve the right to make improvements and alternatives to products, product ranges and materials without notification and on an ongoing basis.

The content of this publication is subject to copyright and may not be copied or reproduced.

www.hultafors.co.uk

