




**UK & IRELAND
PRODUCT CATALOGUE
& PRICE LIST 2025**





Many years ago, we created an icon in the world of ladders, and today we are recognised as the world leader in telescopic work tools.

With both R&D and world class production based in Sweden, the Telesteps brand and our products, are renowned for its quality and design, by many professional tradespeople worldwide ensuring we always put safety and quality first.

A handwritten signature in black ink, consisting of a stylized 'J' followed by 'Fräjdin'.

Johan Fräjdin, CEO Telesteps

SAFE & FLEXIBLE

For everyone and everywhere.



TELESCOPIC LADDERS

The benefits of using Telesteps telescopic ladders.



ADJUST TO THE PERFECT HEIGHT

Our telescopic ladders can be adjusted to the perfect height for each task. The end result is a safer and more flexible ladder.



STORABLE IN EVERY VEHICLE

The compact design of our ladders allows you to store them almost anywhere, no matter if you need it in your work vehicle or on the wall in your garage.



USE IT, EVEN IN LIMITED SPACE

There will always be occasions when you need to use the ladder in a limited space e.g. in an elevator or a crowded area.

THE ORIGINAL

Since the beginning, we have been leading the telescopic ladder industry.

FIRST, BEST & SAFEST

An ingenious patent focused on safety as the highest priority has helped to position Telesteps as the clear worldwide market leader. As our reputation for quality grows, so does the demand for our telescopic ladders and work platforms.


As the original founder and developer of the telescopic ladder, we hold the longest and widest experience in manufacturing consistent, high-quality products. We are proud of our culture and never compromise on safety or quality. We ensure that every component goes through the same rigorous testing programme and performs to the highest standard individually and as part of a fully assembled unit.

Being the first to market with the telescopic market means our ladders are often imitated but never matched! The Telesteps seal of approval guarantees that our products have been tested and certified by the highest independent standards.



MADE IN SWEDEN

The art of telescopic ladders.



SWEDISH PRODUCTION

For your safety.

Manufactured in a modern, fully automated production facility in the deep forest of Sweden, Telesteps not only offers benefits to our customers but also to the planet with substantial reductions in CO2 pollution.

Thanks to our dedicated team and manufacturing set-up, every single Telesteps ladder showcases the result of perfectly formed and fitted components - like a high-quality wristwatch.

We control the production process from the first piece of raw aluminium to the final assembled ladder, ensuring full traceability of each component.

HIGHEST QUALITY - EVERY TIME

High standards deliver the highest quality, and our manufacturing team in Sweden is fully committed to ensuring that every ladder that leaves the factory meets our consistent benchmarks.

Each ladder goes through the same fully automated production process using high-precision equipment overseen by our manufacturing and quality assurance teams.

With innovation at the heart and soul of our company - the close regional proximity between our production and research and development teams means a faster, more agile design process, allowing us to launch new products to the market quicker than ever!



DESIGN

Not just for looks.

The Telesteps brand is appreciated worldwide for its unique and exclusive appearance. Synonymous with safety as its number one priority, the Telesteps range is made for professionals by professionals.

Our innovative product design comes from engineering excellence, where each component has a key function and part to play in ensuring our ladders are safe, comfortable and easy to use.

Let's navigate you through some key features and benefits below.

- Our patented triangular tube shape is stronger than the traditional round tube. We have enhanced the corners of the aluminium tube where external impact is most common to make our ladders more robust. The triangular shape also creates a perfect grip when climbing the ladder.
- Our cleverly designed angled brackets mean that our ladders feature level rungs. At first glance, this might not seem a big deal, but once you stand on our level and wide rungs, you will not want to return to traditional ones. Wide and level rungs make for a more comfortable, but most of all, safer ladder where slipping is almost eliminated.





PRODUCT LINES

Telesteps offers a wide range of telescopic ladders and accessories that match your everyday needs.

Our exclusive range of accessories and add-ons are designed to make your workday more comfortable, efficient and ultimately, safer.





15



SOLID LINE

21



LOFT LINE

26



RESCUE LINE

28



ACCESSORIES

31

PRIME LINE

The most powerful telescopic ladder yet.



ACCESS MADE SAFE

Over 25 years of experience and expertise have gone into the development of the Prime Line range of ladders. Every learning and innovation we've learned along the way has helped to deliver this best-in-class access tool to the market.

AS GOOD AS IT GETS

Prime Line offers the ultimate in practicality coupled with comfort and ease of use. We are the first and only ladder company in the world to develop level rungs. Our 80mm wide flat rungs help to minimise slipping while reducing fatigue - allowing the ladder to be used for longer periods.

SAFETY FEATURES

Above all, the safety of our customers remains our ultimate goal. Prime is packed with innovative safety features and was the first telescopic ladder to use our patented triangular tube design. This iconic design uses the strong natural attributes of the tubular shape for a more twist-resistant ladder.

With Prime, we took everything we know about designing quality ladders and embarked on a new era. This is where safety, quality and design meet.



IT'S ALL IN THE DETAIL

A ladder is a ladder they say. But we know that it is the small details that make the biggest difference.



Scan the QR-code and explore all unique features!

RUBBER TOP SECTION

Works individually on uneven surfaces.
Avoids sliding and damaging walls.



ADJUSTABLE HEIGHT

Extend only to your desired height.



ERGONOMIC

Wide and level rungs to minimise slipping and reduce fatigue.



SAFER RUNGS

Rungs with grooved channels to disperse dirt.



TRIANGULAR DESIGN

Twist and flex resistant by nature.



SLOW CLOSE SYSTEM

Controlled closing to avoid pinching fingers.



SAFE LOCKING

Red indicator tabs to ensure your safety every time.




SMART & SAFE UNLOCKING

2 push buttons for closing the ladder.
Autostep® - Automatic unlocking system when closing the ladder.



ANGLED RUBBER FEET

Maximum surface contact to avoid slipping.





TOP TUBE

Works individually o
Avoids sliding and

ADJUSTABLE

Extend to your c

LEVEL R

Rungs are level whe
right leaning

WIDE 80M

Wide rungs with grooved
slipping, increase comfort

TRIANGULA

Twist and fle

SLOW CLOS

Controlled clo
pinching

SAFE LO

Indicators to ensu
locked p

SMART & SAFE

2 push buttons for
Autostep® - Auto
system when clo

ANGLED RU

Maximum sur
to avoid s

STABIL

Unique patented innovat
over 3.0m meeting the re

MADE IN S

Sustainably ma

ACCESS

Smart accessories
ladder and mak

REGULAR ROUND TUBE TELESCOPIC LADDER

SECTION

on uneven surfaces.
damaging walls.



LE HEIGHT

desired height.



RUNGS

en ladder is at the
ng angle.



M RUNGS

d channels to minimise
ort and reduce fatigue.



AR DESIGN

x resistant.



SE SYSTEM

sing to avoid
fingers.



CKING

ire your ladder is
roperly.



E UNLOCKING

closing the ladder.
matic unlocking
sing the ladder.



BBER FEET

face contact
slipping.



ISERS

ive solution for ladders
quirements of EN131.



SWEDEN

de in Sweden.



CORIES

to optimise your
e it even safer.



CHOOSE THE RIGHT ONE

Our Prime Line is available in four different sizes.



PRIME LINE 2.6M

Product code 72226-541

No. of treads 8

Tread width 40mm

Working height 3.4m

Length, ext. 2.6m

Length, closed 0.72m

Width 0.45m

Weight 8.0kg



PRIME LINE 3.0M

Product code 72230-581

No. of treads 9

Tread width 80mm

Working height 3.8m

Length, ext. 3.0m

Length, closed 0.76m

Width 0.47m

Weight 10.2kg



PRIME LINE 3.5M S

Product code 72235-781

No. of treads 11

Tread width 80mm

Working height 4.3m

Length, ext. 3.5m

Length, closed 0.87m

Width 0.55m

Weight 15.2kg



PRIME LINE 3.5M SB

Product code 72235-681

No. of treads 11

Tread width 80mm

Working height 4.3m

Length, ext. 3.5m

Length, closed 0.87m

Width 0.86m

Weight 14.7kg



PRIME LINE 4.1M S

Product code 72241-781

No. of treads 13

Tread width 80mm

Working height 4.9m

Length, ext. 4.1m

Length, closed 0.93m

Width 0.56m

Weight 17.4kg



PRIME LINE 4.1M SB

Product code 72241-681

No. of treads 13

Tread width 80mm

Working height 4.9m

Length, ext. 4.1m


Length, closed 0.94m

Width 0.9m

Weight 16.7kg

COMBI LINE

Freestanding or leaning, you decide.



THREE IS BETTER THAN ONE

Freestanding, A-frame and leaning ladder, all in one.

Combi Line is the ideal multi-purpose ladder solution. Fully extended, you have the highest possible working height of a freestanding ladder, and by easily switching the set-up, it instantly transforms into a leaning or A-frame ladder.

ERGONOMIC AND SAFE

To be and feel safe on a ladder is our highest priority. That's why all Telesteps ladders are designed with user-friendly safety features.

The red tabs are a clear indicator of when the rungs are locked and the ladder is safe to climb. Our new 80mm wide and level rungs with grooved channels provide superb grip and maximum comfort, allowing you to work longer.

Our patented triangular tubes result in a ladder that is stronger and more flex-resistant thanks to our clever engineering. The shape also makes the ideal grip for your hand when climbing up and down the ladder. Like the rest of the Telesteps range, the Combi Line comes equipped with both rubber tops and feet to prevent slipping.



Scan the QR-code and see
how easy it is to use!



IT'S ALL IN THE DETAIL

A ladder is a ladder they say. But we know that it is the small details that make the biggest difference.

SAFE LOCKING

Red indicator tabs to ensure your safety every time.



ERGONOMIC

Wide and level rungs to minimise slipping and reduce fatigue.



SAFER RUNGS

Rungs with grooved channels to disperse dirt.




INTEGRATED HANDLE


The Combi Line has an integrated handle making it very easy to carry.



RUBBER FEET

Maximising surface contact to avoid slipping.





RUBBER TOP SECTION

Works individually on uneven surfaces.
Avoids sliding and damaging walls.

SLOW CLOSE SYSTEM

Controlled closing to avoid
pinching fingers.

TRIANGULAR DESIGN

Twist and flex resistant by nature.

EASY LOCK

Easy to transform from standing ladder to a
leaning ladder.

AUTOLIFT

Connecting front and back side of the
ladder, when lifting.

SMART & SAFE UNLOCKING

2 push buttons on each side for
closing the ladder.

Autostep® - Automatic unlocking
system when closing the ladder.

A ladder is a ladder they say. But we know that it is the small details that make the biggest difference.



TOP TUBE
Works individually on
Avoids sliding and



ADJUSTABLE
Extend to your c



LEVEL R
Rung are level when
right leaning



WIDE 80MM
Wide rungs with grooved
slipping, increase comfort



TRIANGULAR
Twist and flex



SLOW CLOS
Controlled closing
pinching



SAFE LOCK
Indicators to ensure
locked position



SMART & SAFE
2 push buttons for c
Autostep® - Auto
system when closing



THREE IN ONE
Easy to transform from
a leaning ladder or a



AUTO
Connecting front a
the ladder, w



MADE IN S
Sustainably man



ACCESS
Smart accessories
ladder and make

REGULAR ROUND TUBE TELESCOPIC COMBI LADDER

SECTION

on uneven surfaces.
damaging walls.



LE HEIGHT

Desired height.



RUNGS

n ladder is at the
ng angle.



M RUNGS

l channels to minimize
ort and reduce fatigue.



R DESIGN

x resistant.



E SYSTEM

sing to avoid
fingers.



CKING

re your ladder is
properly.



E UNLOCKING

closing the ladder.
natic unlocking
sing the ladder.



- EASY LOCK

a standing ladder to
an A-frame ladder.



LIFT

and back side of
when lifting.



SWEDEN

de in Sweden.



ORIES

to optimise your
e it even safer.



TWO SIZES

Our Combi Line is available in two different heights.



COMBI LINE 2.3

| | |
|----------------|-----------|
| Product code | 72423-681 |
| Tread width | 80mm |
| Working height | 3.1m |
| Length, closed | 0.73m |
| Width | 0.68m |
| Weight | 14.1kg |
| Max load | 150kg |
| Max users | 1 |

COMBI LINE 3.0

| | |
|----------------|-----------|
| Product code | 72430-681 |
| Tread width | 80mm |
| Working height | 3.8m |
| Length, closed | 0.79m |
| Width | 0.75m |
| Weight | 19.5kg |
| Max load | 150kg |
| Max users | 1 |

SOLID LINE

The steadiest surface since the ground.



SOLID AS A ROCK

The perfect partner for jobs where a platform is called for...

The genius of the Solid Line is the adjustable platform - offering you the freedom to find the ideal working weight for all your needs.

Small and compact for easy transportation and storage, the Solid Line punches well above its weight in terms of performance. Its telescopic function makes the platform ideal for use in small spaces and our new upgrade features a reinforced framework that makes it even more stable and rigid against torsional stress.



SAFETY FEATURES

A simple and safe locking system, wide steps and a built-in handle for easy carrying make the Solid Line the ideal work tool for tough-working environments. Designed specifically for the professional who needs to work on the same area over an extended period - Solid Line is the steadiest and most agile platform you will ever use.



IT'S ALL IN THE DETAIL

A ladder is a ladder they say. But we know that it is the small details that make the biggest difference.



SMART & SAFE UNLOCKING

Push buttons for closing.



SAFER RUNGS

Rungs with grooved channels to disperse dirt.



WIDE STANDING AREA

Wide area to stand on. Can also be used as a working table.



ADJUSTABLE HEIGHT

Extend to your desired height.



BUILT-IN HANDLE

A clever handle making it easy to carry the ladder.



RUBBER FEET

Rubber feet to avoid damaging the floor surface.

Scan the QR-code and
how easy it is to use!



ALL IT TAKES IS ONE

Our Solid Line. A flexible and versatile platform.



SOLID LINE

| | |
|------------------|---------------------|
| Product code | 61209-601 |
| Tread width | 65mm |
| Number of treads | 3 |
| Working height | 2.6m |
| Height, extended | 0.52 / 0.68 / 0.89m |
| Size, closed | 0.72 x 0.28 x 0.84m |
| Weight | 18kg |
| Max load | 150kg |
| Max users | 1 |

A ladder is a ladder they say. But we know that it is the small details that make the biggest difference.



ADJUSTABLE

Extend to your de



SAFE RU

Rungs with grooved chan



WIDE STAND

Wide area to
Can also be used as



SLOW CLOS

Controlled clos
pinching fi



SAFE LOC

Buttons indicates
ladder is locke



SMART & SAFE

Push buttons for clo



RUBBER

Rubber feet to avoid dama



BUILT-IN H

A clever handle makin



EASY TO TRA

Fits in any kind of vehicle an
in narrow s

REGULAR WORK PLATFORM

REACH HEIGHT

Desired height.



DRYINGS

Channels to disperse dirt.



WORKING AREA

Stand on.
a working table.



SAFETY SYSTEM

Helping to avoid
injuries.



LOCKING

Helping to ensure your
ladder is properly
locked.



UNLOCKING

Helping to release the ladder.



FEET

Helping to protect the floor surface.



HANDLE

Helping it easy to carry.



TRANSPORT

Helping it easy to carry with you
in small spaces.





LOFT LINE

Quick, convenient access when you need it.

THE EASY WAY TO YOUR LOFT

Loft Line is a standalone product, assembled in your existing loft framework.

When we developed the new Loft Line, our ambition was to create a safer loft ladder that was easier to install and even more straightforward to use. The result is the world's best telescoping loft ladder - the Loft Line.

SAFETY FEATURES

When it comes to creating ladders, safety is our top priority - the Loft Line is no exception. Whether you opt for the MINI or MAXI, each of the Telesteps Loft Line ladders come equipped with the same safety features from across our complete range, including safety tabs, wide and level steps, angled rubber feet and safe opening with our unique brake technology.

Our patented triangular tube ensures our ladders offer best-in-class strength and impact resistance performance. The clever triangular shape also creates the perfect grip for your hand when climbing up and down from the loft.

EASIER TO USE

Loft Line is easy to use. Simply lift it off the frame and pull the ladder out in its fully open position. Thanks to our Autostep® feature, it's just as easy to fold after use. By pushing two buttons on the bottom rung, the ladder easily unlocks itself while you push and hook it on the frame again.

Installation is now quicker than ever, thanks to new features on the MAXI, such as the ability to extend the top tubes via a simple top button.

TWO MODELS

Our Loft Line is available in two different models, Mini and Maxi.


MINI

| | MINI 9 |
|--------------------|-------------|
| Product code | 72324-541 |
| No. of treads | 9 |
| Tread width | 40mm |
| Min. hatch opening | 520 x 600mm |
| Weight | 15.3kg |



MAXI

| | MAXI 10 |
|--------------------|------------------|
| Product code | 72527-541 |
| No. of treads | 10 |
| Tread width | 40mm |
| Min. hatch opening | 520 x 920–1100mm |
| Weight | 16.6kg |



Scan the QR-code to see
how easy it is to assemble.

RESCUE LINE

Designed to save lives.



RESCUE IS ON ITS WAY

500kg! That's what makes this telescopic rescue ladder unique.

Telesteps Rescue Line is the first telescopic ladder in the world that is safe for three people to use at the same time.

Engineered as part of the 2nd generation with the revolutionary triangular tube design, the Rescue Line is stronger and more torsionally rigid than ever before.

When Telesteps first created the Rescue Line ladder, we needed to consider the different challenging environments rescue personnel work in worldwide. The Rescue Line is designed with these diverse purposes and needs in mind.


EN 1147

The Rescue Line is certified according to the European standard EN 1147. This certificate is one of the hardest certifications for a telescopic ladder to obtain. Specifically developed for fire and rescue workers, it requires that ladders must be capable of bearing loads of up to 500kg or 3 people at the same time.



IT'S ALL IN THE DETAIL

A ladder is a ladder they say. But we know that it is the small details that make the biggest difference.



Scan the QR-code and watch it in action!

CHOOSE THE RIGHT ONE

Depending on the purpose of the Rescue Line we have four different options to choose from.

The ladder is available in two different sizes: 3.5 and 4.1 metres.

Each size is available in the following colours:

Red - for rescue operations.

Black - for police and military forces.



RESCUE LINE 3.5M, FIREFIGHTER

| | |
|----------------|-----------|
| Product code | 72735-521 |
| Tread width | 50mm |
| Working height | 4.3m |
| Length, closed | 1.12m |
| Width | 0.47m |
| Weight | 15.0kg |
| Max load | 500kg |
| Max users | 3 |



RESCUE LINE 3.5M, POLICE/MILITARY

| | |
|----------------|------------|
| Product code | 72735-521B |
| Tread width | 50mm |
| Working height | 4.3m |
| Length, closed | 1.12m |
| Width | 0.47m |
| Weight | 15.0kg |
| Max load | 500kg |
| Max users | 3 |



RESCUE LINE 4.1M, FIREFIGHTER

| | |
|----------------|-----------|
| Product code | 72741-521 |
| Tread width | 50mm |
| Working height | 5.0m |
| Length, closed | 1.17m |
| Width | 0.47m |
| Weight | 19.2kg |
| Max load | 500kg |
| Max users | 3 |



RESCUE LINE 4.1M, POLICE/MILITARY

| | |
|----------------|------------|
| Product code | 72741-521B |
| Tread width | 50mm |
| Working height | 5.0m |
| Length, closed | 1.17m |
| Width | 0.47m |
| Weight | 19.2kg |
| Max load | 500kg |
| Max users | 3 |

ACCESSORIES

Designed to make your day safe and effective.



TOOL TRAY

A helping hand when you need it most.

This small but handy accessory allows you to place tools, screws, electrical instruments, and other equipment on a practical tray while you are working. Allowing you to have both hands free and your equipment within arm's reach without the need to climb down from your ladder.

Its clever design allows you to easily move the Tool Tray to any one of the top three rungs without the need to fix it in place. At the same time, the open sides simplify the cleaning process before you close the ladder.



| | |
|--------------|-----------------|
| Product code | 9202-101 |
| Dimensions | 300 x 80 x 85mm |
| Weight | 0.2kg |



WALL MOUNT

Your ladder. Nice, robust and safe.

The perfect wall mount to store and keep your Telesteps ladder safe and in top condition. This handy wall mount means your ladder will always be on hand and help free up premium space in your garage, unit or van. The Wall Mount is available both with and without a locking mechanism.

| | |
|--------------|-------------------------------|
| Product code | 9195-101 (Prime Line Base) |
| Product code | 9195-201 (Prime Line Keylock) |
| Product code | 9195-601 (Combi Line Base) |
| Weight | 1.8kg |

Scan the QR-code to
see how practical it is.



ADJUSTABLE SAFETY FEET

With our Adjustable Safety Feet, you can use your ladder safely even on uneven grounds.

A ladder should always be level. However, there are many occasions when you need to use a ladder on sloping/uneven ground or a surface with level differences. For your safety, we created the Adjustable Safety Feet. Our Adjustable Safety Feet are easily attached allowing you to adjust the ladder-feet to keep your rungs level and ensure you always feel safe when working.

With its unique ball joint design, the Adjustable Safety Feet provides a safe and steady grip. The big rubber plates ensure extraordinary stability, keeping contact with the ground at all times and in all working conditions.

Our innovative Adjustable Safety Feet are rated highly by many Telesteps customers and the design continues to inspire our development team to keep pushing forward in their mission that nothing should stand in the way of a safe quality ladder, regardless of its working environment.

Compatible with: Prime Line 3.0/3.5/4.1 and Rescue Line 3.5/4.1

| | |
|--------------|-----------|
| Product code | 9190-209 |
| Max. height | 220mm |
| Foot | Ø155mm x2 |
| Joint | 360° |
| Weight | 1.5kg |



Scan the QR-code to see how easy it is to handle.



GROUND SPIKES

The base doesn't matter - snow, mud or dirt. A better grip is always close at hand.

This accessory complements our Safety Foot and works in tandem to ensure safety even in the most extreme climates. Useful and innovative products do not always need to be big and complicated. Like winter tires on a car, Telesteps Ground Spikes provide stability and safety – even in the toughest environments.

| | |
|--------------|----------|
| Product code | 9142-101 |
|--------------|----------|

CARRY BAG

Protective, robust carry bag
for Telesteps ladders

Quality premium products should be treated as such. Just like a beautifully constructed car, Telesteps products need care and attention to keep them at their best. Our simple and portable products just got easier to carry – with the addition of our carry bag. Complete with a shoulder strap, your Telesteps will be protected and always ready for work.

| | |
|--------------|----------|
| Product code | 9193-201 |
|--------------|----------|



TOP SUPPORT

Add safety, flexibility and improved ergonomics with our Top Support

The Top Support provides safe and flexible access no matter where the Prime ladder is placed. It can be used on flat surfaces, inner or outer corners, even on round objects such as a post or a tree. The bar is equipped with rubber tops to prevent marks when placing the ladder on interior walls, for example. It is easy to use, just push the two spring-loaded buttons to release the locking from its fixed position, then move the bar to open or folded position.

- Two push buttons to open and close
- Foldable for easier transportation
- Compatible with all Prime and Rescue Line ladders
- For use on walls, poles and corners
- Lightweight, made of aluminium
- Easily mounted

| | |
|--------------|--------------|
| Product code | 9215-101 |
| Dimensions | 525x397x74mm |
| Weight | 0.79kg |

Scan the QR-code to
see how practical it is.



SAFETY STRAP

Safety, our first priority

We are constantly striving to make our products as safe as possible. Not only on our ladders but also when designing our accessories. We always have our end-user's safety in mind.

Our Safety Strap is a small and easy way to add safety when working on a leaning ladder. Simply use the strap to secure the ladder to a steady object like a beam or post. You can also use the Safety Strap and a peg to prevent the ladder from slipping on a slippery surface like grass.

Product code

9203-101



MAINTENANCE KIT

Be safe by taking care of your ladder.

For maximum safety, functionality and durability Telesteps ladders need to be kept clean - particularly the telescopic tubes and rungs. Dirt, filings, paint spots, glue, etc. must be cleaned off after each use, and before the ladder is closed.

Our maintenance kit has everything you need to treat your Telesteps products with care to help them retain their unique properties and high performance.

Product code 9205-101EN (Professional)

Product code 9205-201EN (Rescue)



SLIDE PROTECTOR

Secure your ladder to the roof.

If you have a place where you regularly use your ladder, a slide protection is a small investment for your peace of mind and increased safety.

The Slide Protector ensures that the ladder stands firmly and cannot slide in any direction.

Product code

9211-101

PRODUCT INDEX AND RRP

All prices shown are Recommended Retail Price excluding VAT.

Prices are subject to change without prior notice. Please check with your local stockist.

| Product Code | Description | GBP RRP (excl. VAT) | EURO RRP (excl. VAT) | Page Ref. |
|-------------------|---|------------------------|-------------------------|--------------|
| 72226-541 | Prime 2.6M Lean-to Ladder† | £277.69 | €324.20 | 14 |
| 72230-581 | Prime 3.0M Lean-to Ladder (80mm steps)† | £309.31 | €361.13 | 14 |
| 72235-681 | Prime 3.5M SB w. Stab. Bar (80mm steps)† | £400.59 | €467.69 | 14 |
| 72235-781 | Prime 3.5M S w. Stabilisers (80mm steps)† | £429.46 | €501.40 | 14 |
| 72241-681 | Prime 4.1M SB w. Stab. Bar (80mm steps)† | £465.20 | €543.13 | 14 |
| 72241-781 | Prime 4.1M S w. Stabilisers (80mm steps)† | £496.00 | €579.09 | 14 |
| 72423-681 | Combi 2.3M Free-Standing/Lean-to Ladder† | £431.39 | €503.65 | 20 |
| 72430-681 | Combi 3.0M Free-Standing/Lean-to Ladder† | £576.56 | €673.13 | 20 |
| 61209-601 | Solid Line Work Platform† | £416.81 | €486.63 | 23 |
| 72324-541 | Loft Line Mini 9† | £424.24 | €495.29 | 27 |
| 72527-541 | Loft Line Maxi 10† | £468.23 | €546.66 | 27 |
| 72735-521 | Rescue Line 3.5M (Red) Firefighter | £572.71 | €668.64 | 30 |
| 72735-521B | Rescue Line 3.5M (Black) Police/Military | £572.71 | €668.64 | 30 |
| 72741-521 | Rescue Line 4.1M (Red) Firefighter† | £659.31 | €769.74 | 30 |
| 72741-521B | Rescue Line 4.1M (Black) Police/Military† | £659.31 | €769.75 | 30 |
| 9195-101 | Wall Mount Prime† | £42.38 | €49.47 | 32 |
| 9195-201 | Wall Mount Prime including Keylock† | £77.61 | €90.60 | 32 |
| 9195-601 | Wall Mount Combi† | £42.38 | €49.47 | 32 |
| 9202-101 | Tool Tray for Prime Line† | £24.01 | €28.02 | 32 |
| 9142-101 | Ground Spike for Adjustable Safety Feet† | £25.43 | €29.69 | 33 |
| 9190-209 | Adjustable Safety Feet for Stabilisers† | £100.00 | €116.75 | 33 |
| 9193-201 | Carry Bag for Prime Line† | £19.78 | €23.09 | 34 |
| 9205-101EN | Maintenance Kit - Telesteps Products EN† | £21.54 | €25.16 | 35 |
| 9205-201EN | Maintenance Kit - Rescue Line EN† | £21.54 | €25.16 | 35 |
| 9203-101 | Safety Strap† | £13.90 | €16.23 | 35 |
| 9211-101 | Slide Protector† | £41.32 | €48.24 | 35 |
| 9215-101 | Top Support† | £38.13 | €44.52 | 34 |

Scan the QR-code to visit
the Telesteps website



Hultafors Group UK Limited

Unit N3, Gate 4, Meltham Mills Industrial Estate, Meltham, Holmfirth, HD9 4DS

Tel: 01484 854488 • sales@hultaforsgroup.co.uk

HULTAFORS GROUP